CAMBRO

Nilkamal®

ONE STOP SOLUTION

FOR THE FOODSERVICE INDUSTRY

ENSURING QUALITY AND AFFORDABILITY

ENSURING QUALITY AND AFFORDABILITY

SALES & DISTRIBUTION NETWORK

Master Warehouses in Bhiwandi(MH) & Delhi

13 Dedicated CNPL Warehouse PAN India



HQ in Mumbai

40+
Nilkamal Depots PAN India

10+
Service Engineer and still growing

30+
Dedicated Hospitality Sales Experts

Ready Stock of more than **5000** SKUs

SOLUTION FOR THE FOODSERVICE INDUSTRY

RECEIVING

STORAGE CONTAINERS

STORAGE SHELVING

PREP & COOKING

SERVING

HOLDING & TRANSPORT

DELIVERY

CLEANING & SANITIZING

Best In Class Authorized Distributor For Leading Global Hospitality Brands

Electrolux PROFESSIONAL

Hamilton Beach COMMERCIAL

HATCO

JTC

Piping hoT™

robot coupe®

ROLLER GRILL

SANTOS®

SIRMAN®

6 Separator® Compartment Trays with Lids

Features:

- 6 compartments designed specifically to serve hot or cold food from the same tray.
- Tray with cover separates each compartment to retain food temperature and reduce spills.
- Locking ridges on top of cover and bottom of tray ensure more secure stacking.

Tray: 10146DCW (PC)
Lid: 10146DCWC (PC)

Tray : 10146DCW(PC) / 10146DPP(PP):

Exterior Dimension: W 25,4 x **D** 36,1 x **H** 3,3 cm

Tray Material(PC): Polycarbonate

Tray Colours: Beige (133), Brown (167)

Tray Material(PP): PPCP-FDA Approved Material

Tray Colours: Sherwood Green (119), Red (163)

Case Pack: 24

***PP Tray lid won't fit**

Lid :10146DCWC(PC) / 10146DPPCD(PP)

Exterior Dimension(Lid): W 26 x **D** 36,2 x **H** 3,7 cm

Exterior Dimension(New Flat Lid): W 26 x **D** 36,2

Lid Material: Polycarbonate(PC)

Lid Colour: Clear (135)

New Flat Lid Material: PPCP – FDA-approved material

New Flat Lid Colour: Translucent (190)

Case Pack: 24

Tray: 10146DCW (PC)
Lid: 10146DPPCD (PP)

3 Separator® Compartment Trays with Lids

Features:

- 3 compartments designed specifically to serve hot or cold food from the same tray.
- Tray with cover separates each compartment to retain food temperature and reduce spills.
- Locking ridges on top of cover and bottom of tray ensure more secure stacking.

Tray: 10103CW (PC), 10103PP(PP)
Lid: 10103PPC (PP)

Tray: 10103CW(PC)/ 10103PP(PP):

Exterior Dimension: W24,8 x **D**24,3 x **H**2,7 cm

Tray Material(PC): Polycarbonate

Tray Colours: Beige (133), Brown (167)

Tray Material(PP): PPCP-FDA Approved Material

Tray Colours: Sherwood Green (119), Red (163)

Case Pack: 24

Lid: 10103PPC(PP)

Exterior Dimension: W24,8 x **D**24,6 x **H**2,5 cm

Lid Material: PPCP – FDA-approved material

Lid Colour: Translucent (190)

Case Pack: 24

5 Separator® Compartment Trays

Base Tray

- Combine hot and cold food portions into a reusable, single service unit.
- Works as a tray or for in-cell feeding with the insert tray.
- Base tray has 5 compartments with 1 compartment for nesting the insert tray.



1411CW

Tray: 1411CW(PC)/1411PP(PP)

Exterior Dimension: W 26,8 x **L** 36,5 x **D** 3,3 cm

Tray Material(PC): Polycarbonate

Tray Colours: Beige (133), Brown (167)

Tray Material(PP): PPCP-FDA Approved Material

Tray Colours: Sherwood Green (119), Red (163)

Case Pack: 24

*PC = Polycarbonate *PP = Polypropylene

Tumblers

Maximum Diameter: 7,0 cm
Maximum Height: 11,1 cm
Capacity to Rim: 284 mL
Case Pack: 72
950P Colour: Clear (152)
950CW Colours: Clear (152), Blue (401), Blush (409)

950P

950CW

Camwear® Mug

Maximum Diameter: 7,3 cm
Maximum Height: 5 cm
Capacity to Rim: 155mL
Case Pack: 48
Colours : Beige (133), White (148) SlateBlue (401)

NEW
43CW (PC)

Maximum Diameter: 10,3 cm
Maximum Height: 8 cm
Capacity to Rim: 239 mL
Case Pack: 48
Colours : Beige (133), White (148) SlateBlue (401)

75CW (PC)

Serving Tray for Glasses

Exterior Dimension: W25,9 x **D**18,4 x**H** 2,1cm
Case Pack: 24
Colours : Beige (133), White (148)

NEW
107STCW (PC)

Serving Bowl

Exterior Dimension: L119 x **L2** 14 x **H** 4,6cm
Capacity to Rim: 460 mL
Case Pack: 48
Shape: Oval
Colours : Beige (133), White (148)

NEW
50NBCW (PC)

Camwear® Dinner Plate

Now Available in Plain Surface (12CWNRP) and Textured Surface (12CWNR)
Case pack: 24
Shape: Round
Diameter: 31,5 cm
Colours : Beige (133), White (148)

12CWNR(PC)

Camwear® Quarter Plate

Now Available in Plain Surface (825CWNRP) and Textured Surface (825CWNR)
Case pack: 24
Shape: Round
Diameter: 21 cm
Colours : Beige (133), White (148)

825CWNR(PC)

Camwear® Bowl

Case pack: 48
Shape: Round
Diameter: 4,4 cm
Capacity: 220 mL
Colours : Beige (133), White (148)

7CW(PC)

Camwear® Bowl

Maximum Diameter: 12,5 cm
Maximum Height: 4,3 cm
Capacity to Rim: 370 mL
Case Pack: 48
Shape: Round
Colours : Beige (133), White (148)

100CW(PC)

Camwear® Salad Bowl

Maximum Diameter: 15 cm
Maximum Height: 4,80 cm
Case Pack: 48
Shape: Round
Volume: 450 ml
Colours : Beige (133), White (148)

133SBCW

Camwear® Curry Bowl

Maximum Diameter: 15,30 cm
Maximum Height: 5,50 cm
Case Pack: 48
Shape: Round
Volume: 600 ml
Colours : Beige (133), White (148)

145CBCW

CAMTREAD® FIBERGLASS TRAYS WITH NON-SLIP RUBBER SURFACE

SPECIFICATIONS

Material	Fiberglass layers + polyester resin + non-slip rubber surface molded from edge-to-edge
Surface Characteristic	Non–Slip Rubber
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Excellent
Stain Resistance	Good
Heat Resistance	-10˚ to +100˚C‡

Orders for non-standard Camtread Tray colors will be handled by special quotation only.

*Special order item not carried in stock – non-returnable.

Not for use in heated carts.

Personalization see page 209 for size and detail.

PRORATED

‡Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

High Profile Shape

Low Profile Shape

Low Profile Shape Oval

Tray Colors:



Black Satin

Tavern Tan

CODE	DIA / SIZE	CASE PACK
Round – High Profile Shape		
900CT*	ø 23 cm	12
1100CT	ø 28	12
1400CT	ø 35,5	12
1600CT	ø 40,5	12
1800CT	ø 45	6
Round – Low Profile Shape		
1550CT*	ø 40,5	12
1950CT*	ø 49,5	12
Oval – Low Profile Shape		
2500CT	49 x 59	6
2700CT	56 x 68,5	6
2900CT	73,5 x 60	6
Rectangular – High Profile Shape		
1014CT*	27 x 35	12
1216CT	30,5 x 41,5	12
1418CT	35,5 x 45,7	12
1520CT*	38 x 51,5	12
1622CT*	40,5 x 56	12
1826CT	45 x 65	6
Rectangular – Low Profile Shape		
3253CT	32,5 x 53	12

Scan QR for

Complete Range

1216FF – 30 x 41 cm Fast Food Trays

Features:

- Perfect for self-serve, quick-serve dining in schools, colleges or restaurants.
- Made of highly durable, long lasting polypropylene.
- Attractively textured surface hides scratches.

Case Pack: 24

Colours:

167	110	119	163
Brown	Black	Sherwood Green	Red

Note: Wash once per day for 60 seconds at a maximum temperature of 80˚C.

TECHNICAL TEST RESULTS

– Chemical Resistance:	★★★★★
– Drying Test:	★★★★
– Shock Resistance:	★★★★
– Break Resistance:	★★★★
– Scratch Resistance:	★★★★
– Stain Resistance:	★★★★

RECOMMENDED USE

High Traffic / Frequent Use
– Quick Serve Restaurants – Food Courts – Snack Shops

Dishwasher Safe
Stackable
Personalization

High Profile Shape

1216FF

1113FFH & 1317FFH Fast Food Trays with Handle

Features:

- Good Design with smooth & glossy finishing, Texturing on handle.
- Fits in **UPC400:** 1113FFH – 24 No's; and 1317FFH – 12 No's.

Sizes: 1113FFH **B** 27,9 x **L** 33 cm
1317FFH **B** 33 x **L** 43 cm

Material: PPCP – FDA approved material

Case Pack: 24

Colours:

167	110	119	163
Brown	Black	Sherwood Green	Red

Note: Wash once per day for 60 seconds at a maximum temperature of 80˚C.

RECOMMENDED USE

High Traffic / Frequent Use
– Malls – Educational Institutions – Coffee Shops – Railways – Hospitals – Canteens

Compartment Trays with Lid for UPC400 (New Improved Version)

Features:

- 6 compartments designed specifically to transport and serve hot or cold food.
- Fits in UPC400 – 24 No's.

Exterior Dimension: B 28 cm x **L** 33 cm

Material: PPCP – FDA approved material

Case Pack: 24

Tray Colours: Sherwood Green (119), Red (163), Navy Blue (186), White (148)

Lid Colour: Translucent (190)

11136IT

11136CITD

SMALLWARES

P600CW
CAPACITY: 1,8 L
HEIGHT WITH SPOUT: 20,5 cm
DIAMETER WITH HANDLE: 17 cm
Case Pack: 6

P60CW
CAPACITY: 1,8 L
HEIGHT WITH SPOUT: 23 cm
DIAMETER WITH HANDLE: 18,5 cm
Case Pack: 6

P64CW
CAPACITY: 1,9 L
HEIGHT WITH SPOUT: 23,5 cm
DIAMETER WITH HANDLE: 18,5 cm
Case Pack: 6

PC34CW
CAPACITY: 1 L
HEIGHT WITH SPOUT: 19 cm with lid
DIAMETER WITH HANDLE: 17 cm
Case Pack: 6

CODE	HT5CW	HT8CW	HT10CW	HT12OCW	HT12CW	HT14CW	HT16CW	HT22CW
FITS LID	—	CLNT8	—	CLNT12	—	—	CLAM8B5*	CLSM8B5*
MAX DIAMETER	6 cm	6,8 cm	7,1 cm	7,6 cm	8,6 cm	8,3 cm	8,4 cm	8,9 cm
MAX HEIGHT	9 cm	11,3 cm	12,2 cm	12,8 cm	9,5 cm	12,4 cm	14 cm	17 cm
FULL SIZE CAMRACK®	49S318	36S418	36S434	25S434	25S418	25S434	25S534	25S638
CAPACITY TO RIM	148 mL	237 mL	296 mL	355 mL	355 mL	414 mL	473 mL	652 mL
CASE PACK TUMBLER / LID	36 / —	36 / 1,000	36 / —	36 / 1,000	36 / —	36 / —	36 / 1,500	36 / 1,500

CamView Camliter Beverage Decanters

- Ideal for serving beverages on buffet lines or table side.
- Spill-proof, snap tight flat lids included to protect content from cross contamination.
- Pour Spout Lid available to protect content while allowing free pour.
- Light-weight, dent and scratch resistant.
- Made of impact resistant material.
- NSF Listed- Camliter with Flat Lid.

Color: Clear (135).
Lid Color: White (148).

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40˚ to 71˚C.

Lids not NSF listed.

CODE	CAPACITY	HEIGHT
Camliters complete with lids: (WW1000L, WW250L)		
WW1500	1,5 L	25,4 cm
WW1000	1	24,8
WW500	0,5	20
WW250	0,25	15,9
Lids		
WW1000LS	(lid w/pour spout for 1,5 L, 1 L, and 0,5 L)	
WW1000L	(lid for 1,5 L, 1 L and 0,5 L)	
WW250L	(lid for 0,25 L)	

Case Pack: 12 Pour Spout Lid must be ordered separately.

WW1000L

WW1000LS

CAMBRO® FOOD STORAGE

Commitment to food safety relies on durable, consistent food storage products. Prep, store and serve across a wide range of temperatures and environments. All of our food storage products resist acid, oils, stains, and odors. That means years of service in a commercial kitchen without compromising quality.

CamSquares®

FRESH PRO

7 Sizes 1,9 to 20,8 L

Material
Polycarbonate

Space Saving
Recessed Handles
Create 25 % MORE Storage Capacity



CODE	CAPACITY	DIMENSIONS L x W x H
Polycarbonate Container		
2SFSPROCW	1,9 L	19,1 x 19,1 x 9,8 cm
4SFSPROCW	3,8 L	19,1 x 19,1 x 18,3 cm
6SFSPROCW	5,7 L	22,9 x 22,9 x 18 cm
8SFSPROCW	7,6 L	22,9 x 22,9 x 24,3 cm
12SFSPROCW	11,4 L	29 x 29 x 22 cm
18SFSPROCW	17,2 L	29 x 29 x 33 cm
22SFSPROCW	20,8 L	29 x 29 x 41 cm
Polypropylene Lid		
SFC2FPPP	1,9 L & 3,8 L	
SFC6FPPP	5,7 L & 7,6 L	
SFC12FPPP	11, 17,2 L & 20,8 L	

Case Pack: 6 **Container Colour:** Clear (135)
Lid Colours: Translucent Green (265), Translucent Red (266).
Translucent Blue (267) is available in stock.
Drain Shelf also available in stock 2SFSFPDPP, 6SFSFPDPP, 12SFSFPDPP.

Design Registration Number : 414721-001, 414722-001, 414732-001

Patent Applied For

PC GN Pans and Lids

Features:

- Made of durable Camwear PC that will not crack, bend or dent, precisely designed to gastronorm GN specifications.
- Camwear pans keep contents as cold as metal pans with less condensation.
- Pans stack neatly without wedging or sticking.

Case Pack: 6

GN Pans Colours: Black (110), Clear (135)

GN Pan Lid Colour: Clear (135)

GN Pan Shelf Colour: Clear (135)



14CW



34CW



24CW

36CW

46CW

66CW

26CW

44CW

64CW

94CW

Flat Cover

10CWC

20CWC

30CWC

60CWC

90CWC

Cover with Handle

10CWCH

20CWCH

30CWCH

40CWCH

60CWCH

Notched Cover with Handle

20CWCHN

30CWCHN

40CWCHN

60CWCHN

Drain Shelves

- Keeps products out of liquids and promotes drainage.



20CWD, 30CWD, 60CWD, 90CWD

Scan QR for

Complete Range

Note : Other sizes also available in stock.

CAMWEAR® FOOD STORAGE BOXES

Camwear Food Storage Boxes

CODE	18263CW	✣ ● 18266CW	18269CW
DIMENSIONS (CM)	46 x 66 x 9	46 x 66 x 15	46 x 66 x 23
APPROX. CAPACITY	18,9 L	33,1 L	49,2 L
CASE PACK	6	6	4

CODE	182612CW	182615CW	12183CW	✣ ● 12186CW	✣ 12189CW
DIMENSIONS (CM)	46 x 66 x 30	46 x 66 x 38	30,5 x 46 x 9	30,5 x 46 x 15	30,5 x 46 x 23
APPROX. CAPACITY	64,4 L	83,3 L	6,6 L	11,4 L	18 L
CASE PACK	4	3	6	6	6

Colour: Clear (135). **18266CW & 12186CW available in:** ● Safety Red (467), ✣ Safety Yellow (464).

Camwear Covers





CODE	✣ ● 1826CCW FLAT LID	1826SCCW SLIDINGLID™	✣ ● 1218CCW FLAT LID	1218SCCW SLIDINGLID
DIMENSIONS (CM)	45,7 x 66	45,7 x 66	30,5 x 45,7	30,5 x 45,7

Case Pack: 6 **Colour:** Clear (135). **1826CCW & 1218CCW available in:** ● Safety Red (467), ✣ Safety Yellow (464).

Accessories






CODE	1826DSCW	1218DSCW	1826CLRCW (12,7 CM DEEP)	18268CLRCW (20 CM DEEP)	18268CLRKIT
DESCRIPTION	Drain shelf	Drain shelf	Colander	Colander	ColanderKit
DIMENSIONS	Fits all 46 x 66 cm food storage boxes	Fits all 30,5 x 46 cm food storage boxes	Fits Camwear food storage boxes only 46 x 66 x 15 cm and deeper	Fits Camwear food storage boxes only 46 x 66 x 23 cm and deeper	One 20 cm deep colander one 46 x 66 x 23 cm food box one 46 x 66 cm SlidingLid™
CASE PACK	6	6	6	4	1 Kit

Colour: Clear (135).

PIZZA DOUGH BOXES

Polypropylene

- Ideal for storing, transporting, proofing and cooling dough.
- Lightweight, durable, and break resistant.
- Chemical resistant won't absorb odors and is easy to clean.
- Boxes nest tightly together to keep out dirt and contaminants, extending product freshness.
- Each box acts as a tight lid for the box below, reducing the need and expense of covers.
- Withstands temperatures from -40˚ to 70˚C.
- Cover can be used as an 46 x 66 cm tray.
- Available in 7,6 cm depth only.

Camwear®

- Prevents crusting to increase the storage life of dough.
- Virtually unbreakable Camwear construction is reinforced on all sides.
- Boxes won't bend or lose their shape.
- Withstands temperatures from -40˚ to 99˚C.
- Available in 7,62 and 15,24 cm depths.

DB18266CW

DB18263CW

CODE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS
Polypropylene Pizza Dough Box		
DB18263P‡	46 x 66 x 7,6 cm	40,6 x 60,9 cm
Polypropylene Cover		
DBC1826P‡	46 x 66	—
Camwear Pizza Dough Boxes		
DB18263CW	46 x 66 x 7,6	40,6 x 60,9
DB18266CW	46 x 66 x 15,3	40,6 x 60,9
Camwear Cover		
DBC1826CW	46 x 66	—

Case Pack: 6 **Color:** White (148).

Camdolly® For Pizza Dough Boxes		
CD1826PDB**	50,5 x 71 x 26	44,5 x 64,5

Case Pack: 1 **Optional straps (400STP or UTHSTP) sold separately.

CAMVIEW® SHAKERS/DREDGES & CAMWEAR® CONDIMENT JARS

CamView Shakers / Dredges

- A staple in the kitchen, at the condiment station or on the dining table.
- Clear shatter-resistant CamView and color coded lids make it easy to identify contents.
- Dishwasher safe and unaffected by food acids.

Shaker Colour: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.

96SKRLD
Salt & Pepper

96SKRLM
Med. Ground

96SKRLC
Cheese

96SKRLP
Parsley

CODE	LID COLOR
Shakers complete with lids (approx. capacity 300 mL)	
96SKRP (w/parsley lid)	White (148)
96SKRD (w/salt & pepper lid)	Beige (406)
96SKRC (w/cheese lid)	Yellow (405)
96SKRM (w/medium ground lid)	Rose (408)
Shaker Replacement Lids (Shaker Lids are not interchangeable with Camliter® Lids)	
96SKRLP parsley lid	White (148)
96SKRLD salt & pepper lid	Beige (406)
96SKRLC cheese lid	Yellow (405)
96SKRLM medium ground lid	Rose (408)

Case Pack: 12

CAMWEAR LIQUID MEASURING CUPS

- Externally marked graduations are molded in and imprinted in red for American standard and blue for metric for easy measurement.
- Durable, virtually unbreakable Camwear will not dent, ensuring an accurate measurement every time.
- Molded-in handle will not break off.

Colour: Clear (135).

Personalization available on non-food contact areas only. See cresting section for information and ordering.

CODE	CAPACITY	CASE PACK
25MCCW	225 mL (dry measure)	12
50MCCW	0,5 L	12
100MCCW	1	12
200MCCW	2	12
400MCCW	4	1

Graduations are molded-in and imprinted in Blue for metric and Red for standard American measurements.

CAMWEAR DRY SCOOPS

- Virtually unbreakable Camwear will not dent, chip or rust.
- Molded-in sure grip handle includes a hole for hanging.
- Ideal for use with Cambro Ice Caddies and Ingredient Bins.

Colour: Clear (135).

Personalization not available.

CODE	APPROX. CAPACITY	CASE PACK
SCP6CW	170 g	12
SCP12CW	340	12
SCP24CW	680	12
SCP64CW	1814	6

CAMWEAR® DISPLAY COVERS & TRAYS

RD1200CW

RD1220CW

RD1220CWH

Ingredient Bins

Features:

- Store bulk dry ingredients such as flour and grain.
- Hygienic, clear, sliding lid reduces handling and allows for quick content identification.
- Bin made of FDA-accepted material so no liners are needed.
- Designed to fit under standard work tables.

Casters feature wide wheels for excellent stability and weight-bearing capability.

IBS27 / IBS27IN

Exterior Dimension: W 42 x **D** 75 x **H** 71 cm
Capacity: 102 L
Cube M³: 0,102
Load Capacity (Sugar): 103 kg
Load Capacity (Flour): 68 kg
7,6 cm Casters: 2 fixed, 2 swivel
Bin Colour: White
IBS27 Lid Colour: Clear
IBS27IN Lid Colour: White / Clear

IBS20IN New improved version

Exterior Dimension: W 33 x **D** 75 x **H** 71 cm
Capacity: 81 L
Cube M³: 0,18
Load Capacity (Sugar): 77 kg
Load Capacity (Flour): 63 kg
7,6 cm Casters: 2 fixed, 2 swivel
Bin Colour: White
IBS20IN Lid Colour : Clear / White

Condiment Holder

Features:

- Durable with food grade PP boxes and transparent PC Lid.
- Ideal for use in all type of commercial kitchen.
- Individually placed in separate cartons.

Outer Box: Black(110)
Outer Dimension: W 14,9x D49,5 X x H8,6 cm
Bin(PP): White(148)
Case Pack: 12

CH4C

Small Bin: W7,4 x D14,0 x H7,2 cm
Volume: 475 ml
Big Bin: W11,2 x D14,0 x H7,2 cm
Volume: 800 ml
Lid(PC): Clear(135)

CH6C

ICS125L SlidingLid® Ice Caddy

Features:

- Polyethylene body and thick foam insulation hold ice for days.
- Rugged, all-weather exterior will not crack, dent, bubble, chip, rust or break.
- Unique sliding lid slides back and under during use, reducing risk of cross-contamination.
- Recessed well and drain shelf keep ice out of water, extending holding times.
- Recessed, molded-in handles ease lifting and maneuvering.
- No assembly required.

Capacity: 57 kg
Exterior Dimension: W 58,4 x **D** 80 x **H** 74,3 cm
Case kg (Cube M³): 27,37 (0,377)
Casters: 2 fixed, 2 swivel, 1 with brake
Colours: Dark Brown (131), Slate Blue (401)

ICS125L

PORTABLE BARS

THREE SIZES

LARGE MODEL - BAR730

MID-SIZE MODEL - BAR650

SMALL MODEL - BAR540

THREE SYSTEMS

ECONOMY SYSTEM
- For Bottle, Can, or Mixer Service.
- Includes Ice Bin & Speed Rail.
- Standard or Designer Decor.

BASIC SYSTEM
- Partially Equipped for Post or Pre-Mix Soda Service.
- Operator Completes Installation.
- Standard or Designer Decor.

COMPLETE SYSTEM
- Completely Factory Equipped for Post or Pre-Mix Soda Service.
- Standard or Designer Decor.

SIZES	ECONOMY SYSTEM	BASIC SYSTEM	COMPLETE SYSTEM
Large BAR730 Models	**Standard Decor** BAR730 **Designer Decor** BAR730DS	**Standard Decor** BAR730CP **Designer Decor** BAR730DSCP	**Standard Decor** BAR730PM, BAR730PMT, BAR730PMT220, BAR730DX **Designer Decor** BAR730DSPM, BAR730DSPMT, BAR730DSPMT2, BAR730DSDX
Mid-Size BAR650 Models	**Standard Decor** BAR650 **Designer Decor** BAR650DS	**Standard Decor** BAR650CP **Designer Decor** BAR650DSCP	**Standard Decor** BAR650PM, BAR650PMT, BAR650PMT220, BAR650DX **Designer Decor** BAR650DSPM, BAR650DSPMT, BAR650DSPMT2, BAR650DSDX
Small BAR540 Models	**Standard Decor** BAR540 **Designer Decor** BAR540DS	— —	— —

Tray & Silverware Cart

- Use to neatly organize trays and accessories for self-service.
- Includes 4 each 1/3 size and 4 each 1/6 size, 10 cm deep, clear Camwear® food pans to hold flatware, napkins and non-perishable condiments. 1/3 size, 10 cm deep holds 100 knives, 100 spoons or 80 forks.

Colours: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Black (110).

15,2 cm Casters: All swivel, 2 with brake.

Maximum load capacity: 227 kg.

Vinyl cover included. Not NSF listed.

TC1418

CODE	DESCRIPTION	EXTERIOR DIM. L x W x H	MAXIMUM TRAY SIZE	TRAY CAPACITY
TC1418	Cart w/pans	82 x 54 x 116 cm	36 x 46 cm	180-200 in two stacks

Case Pack: 1

Camrack 4-in-1 Warewashing System

Scan QR for

Complete Range

BR258 & FR258 Washcrate Base & Flatware Racks

Features:

- Use Washcrate Base BR258 for pots, pans, bowls and large prep, service and display items.
- Flatware Rack FR258 features a fine mesh base that promotes thorough cleaning while preventing flatware from slipping through.

BR258 Colours: Sherwood Green (119), Soft Grey (151), Red (163), Brown (167), Navy Blue (186)

FR258 Colour: Soft Grey (151)

BR258

FR258

Washcrate for Small Glasses in 25 and 36 compartments

Features:

- 50X50 Base Rack with small height.
- Ideal for marriage caterers

Exterior Dimension: W 50 cm x **L** 50 cm x **H** 10.5 cm

Colours: Blue (186)

25HS65/36HS65



CD2020 & DRC2020 Washcrate Cover & Camdolly®

Features:

- Use to cover and protect full size washcrate filled with clean dishware.
- When used with a Camdolly, creates a portable sanitary storage system that protects contents between uses.
- Eliminates the use of messy, wasteful plastic wrap or vinyl covers.

DRC2020 Colour: Soft Grey (180)

CD2020 Colours: Dark Brown (131), Slate Blue (401)

DRC2020

CD2020

25/36E1 & 25/36E2 Component System

The Washcrate System offers several choices for ordering the right washcrate. Please consult with yoursales representative, or Cambro Customer Service, for all special ordering and assembly directions.

Colour: Soft Grey (151)

Choose Between:

1. A complete selection of pre -assembled, ready-to-use washcrates listed in our catalog.
2. Custom built special order washcrates for specific needs.
3. Individual washcrate components for distributors to stock and build racks as needed.

E1 = Full Size Full Drop Compartment Extender

E2 = Full Size Half Drop Compartment Extender

PR59314 Camrack® Full Size Peg Racks

Versatile 5 x 9 Peg Rack:

- Holds standard plates in one direction or deep plates, bowls and plate covers in the other direction.
- 5 spacing configuration holds up to ten 25,4 cm bowls, deep plates, platters or plate covers.
- 9 spacing configuration holds up to:
  - Eighteen 25,4 cm plates
  - Twelve 30,5 cm plates
  - Twenty-seven 19 cm plates
    or
  - Nine 36 x 46 cm trays.

Inside Rack Height: 8,3 cm

Outside Rack Height: 10,1 cm

Case Pack: 6

Colour: Soft Grey (151)

PR59314

Note: Also Carrying stock of
-9x9 peg Rack : PR314
-Open Tray Rack : OETR314
-8 Compartment Half Falt Basket : 8FB434/8FBNH434

1120CBP & 1520CBP Cambox®

Features:

- Economical high gloss bus box for normal restaurant use.
- Wide range of size and specialization options
- Handles cutlery, plates, bowls, and more.

1120CBP Dimension: W 28,9 x **L** 52 x **H** 9,5 cm

1520CBP Dimension: W 38,9 x **L** 50,6 x **H** 12,5 cm

Case Pack: 12

Colours: Black (110), Grey (180)

1120CBP

1520CBP

Compact Adjustable Dish

ADCRC, ADCRC8PKG, ADCRC12PKG





Safely store and transport plates from 11,7 to 33 cm.*

* Note: Cannot be used to store square, rectangular or oval plates.



(131)

Brown

Gain 20% More Floor Space



Compared to the Cambro ADCS Model

Holds up to 60 dishes per stack. Capacities are approximate and will vary depending upon thickness and shape of dishes. Cannot be used to store square, rectangular or oval plates.

CODE	DESCRIPTION	PLATE SIZE	DIMENSIONS W x D x H	UNIT WEIGHT
ADCRC	Adjustable Dish Caddy R-Series, 4 Towers	24 cm - 33 cm	76 x 76 x 84 cm	27 kg
ADCRC8PKG*	Adjustable Dish Caddy R-Series, 8 Towers	15,24 - 23,5	—	31,3
ADCRC12PKG**	Adjustable Dish Caddy R-Series, 12 Towers	11,75 – 14,6	—	35,6
ADCRCT4	Towers - 4 Each	—	—	4,31

Case Pack: 1

Colours: Black (110), Slate Blue (401), Dark Brown (131)

* Ships in 2 separate cartons. ** Ships in 3 separate cartons.

† **Note:** Cannot be used to store square, rectangular or oval plates.

KD Utility Cart and Shelf Panel

Each BC340KD shelf holds one full-sized dish rack or two standard bus boxes.

Optional shelf panels can be added at time of assembly to enclose three sides.

Four powder coated ste casters provide quiet tr and steady maneuverin

BC340KD



BC340KD Length



BC340KD Width

Large Utility Cart:

- Versatile, durable and economically-priced carts.
- Marine rails and lightly-textured polypropylene shelves keep contents in place.
- Aluminum uprights ensure stability.
- Ships "knocked down" to minimize shipping costs.
- Easy to assemble.

Caster Type: 12,7 cm, 4 swivel, no brake

Overall Dimension: L 101,6 x **D** 54 x **H** 95,25 cm

Shelf Dimension: L 80 x **D** 52 x **H** 29,8 cm

Load Capacity: 180 kg (UDL)

Case Pack: 1

Colours: Black (110), Speckled Grey (480)

Optional Accessories:

- BC331KDTC 30 L Trash Container

Dimension: W 33 x **D** 24 x **H** 56 cm

Case Pack: 1

Colours: Black (110)

- BC331KDSH 9,4 L Silverware Holder

Dimension: W 33 x **D** 24 x **H** 18,5 cm

Case Pack: 1

Colours: Black (110)

- BC340KDP Single Shelf Panel Set for KD Large Utility Cart 1 side, 2 ends.

Dimension: W 80,3 x **D** 45 x **H** 29,8 cm

Case Pack: 1

Colours: Black (110), Speckled Grey (480)

BC340KDP

BC331KDTC

BC331KDSH

The Future of Food Transport

Hot & Cold Food IN A SINGLE CART

PCU1000 The Pro Cart Ultra® Food Pan Carrier

Features:

- Hot and Cold in the same cart at the same time.
- Save Up to 30% on energy cost vs. other electric cabinets.
- Able to retain hot or cold temperatures for at least 4 hours for without electricity.

Hot Module:

- Safely maintain food temperatures between 65,6˚C to 73,9˚C with gentle, non-radiant heat.
- Adjustable temperature to maximum of 85˚C.
- Heats from room temperature to 73,9˚C in 15 minutes.

Cold Module:

- Thermoelectric cooling technology is safe for transport.
- Cools down to 0,3˚C without a compressor.
- Adjustable temperature to 0,3˚C.

Exterior Dimension: W 56 x **D** 86,4 x **H** 170,2 cm

Case kg (Cube M³): 176,75 (39,57)

Casters: 2 fixed no lock pin,
2 swivel with total locking

Colour: Charcoal Grey (615)

Total Capacity

FOOD PANS	GN 1/1	GN 1/2	GN 1/3
6,5 cm deep	14	28	36
10 cm deep	10	20	24
15 cm deep	6	12	18
20 cm deep	4	8	12

Patent Number: "PATENT / US D984,076 S" I *This patent will expire on April 18, 2038

PCU1000
Total capacity:
10, 10 cm deep
GN 1/1 Food Pans

20 sec. RECOVERY*

23 sec. RECOVERY*

*Average recovery time based on ambient temperature of 23,33˚C, Empty Compartments - Door open for 30 seconds.

CODE	DESCRIPTION	DIMENSIONS W x D x H	PRODUCT WEIGHT (KG)
PCU1000			
PCU1000HH	2 active hot compartments	55,88 x 86,36 x 169,6 cm	65,1
PCU1000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		69,06
PCU1000CC	2 active cold compartments		73,03
PCU1000PP	2 passive compartments		60
Modules			
PCMCX	Cold Module	—	9,42
PCMHX	Hot Module	—	5,44
PCMPX	Passive Module	—	2,7

Case Pack: 1 Colour: Charcoal Grey (615). Other configurations and Security Package available.

ELECTRIC HOT

Adjustable temperature to a max of 85˚C.

Recovery time:
Average 20 seconds.

ELECTRIC COLD

Adjustable temperature to 0,3˚C, without a compressor.

Recovery Time:
Average 23 sec.

Ultra Camcart® H-Series

UPCH8002

UPCH16002

UPCH8002	85˚C	82,8˚C	81,7˚C	80˚C	78,9˚C
UPC1H6002	85˚C	82,8˚C	81,7˚C	80˚C	78,9˚C
Hot					
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

Exterior Dimension: W 52 x **D** 69 x **H** 137,2 cm
Case kg (Cube M³): 45,4 (0,55)
Casters: 2 fixed, 2 swivel, 1 with brake
Colours: Dark Brown (131), Slate Blue (401)

Exterior Dimension: W 73 x **D** 84,7 x **H** 137,2 cm
Case kg (Cube M³): 72,186 (1,0)
Casters: 2 fixed, 2 swivel, 1 with brake
Colours: Dark Brown (131), Slate Blue (401)

UPCH4002 Heated Ultra Pan Carrier® H-Series – 220V

Exterior Dimension: W 46 x **D** 67 x **H** 63 cm
Case kg (Cube M³): 20,45 (0,225)
Casters: 2 fixed, 2 swivel, 1 with brake
Colours: Dark Brown (131), Slate Blue (401)

UPCH4002 – 220V

Ultra Camcart®

UPC800

UPC1600

Capacity Chart UPC800 (x2) **UPC1600** (x4)



6,5 cm (Per Cabinet) | 10 cm (Per Cabinet) | 15 cm (Per Cabinet) | 20 cm (Per Cabinet)

Exterior Dimension: W 52 x **D** 69 x **H** 137 cm
Case kg (Cube M³): 45,4 (0,55)
Casters: 2 fixed, 2 swivel, 1 with brake
Colours: Dark Brown (131), Slate Blue (401)

Exterior Dimension: W 71,5 x **D** 82 x **H** 135 cm
Case kg (Cube M³): 59,02 (1,0)
Casters: 2 fixed, 2 swivel, 1 with brake
Colours: Dark Brown (131), Slate Blue (401)

Insulated Transport

500LCD Camtainer® Insulated 18 L Beverage Container

Capacity: 18 L
210 mL cups: 85
Spigot: Yes
Exterior Dimension: W 42 x **D** 23 x **H** 62 cm
Fits Camdolly®: CD100, CD100H, CD100HB
Case kg (Cube M³): 7,3 (0,06)
Camtainer Cover: 500LCDCVR
Colours: Dark Brown (131), Slate Blue (401)

*Also coming in 5 liter with new design.
Carring stock of 250 LCD and 1000 LCD.

500LCD



UPC101 Insulated Top Loading Camcarriers®

Capacity: 38 L
Exterior Dimension: W 67,5 x **D** 46 x **H** 32 cm
Case kg (Cube M³): 11 (0,11)
Colours: Dark Brown (131), Slate Blue (401)

UPC101

Insulated Front Loading Container for Transporting Gastronorm Food Pans

Exterior Dimension: W 46 x **D** 63 x **H** 62 cm
Interior Dimension: W 33 x **D** 53,3 x **H** 49 cm
Case kg (Cube M³): 15,07 (0,198)
Colours: Dark Brown (131), Slate Blue (401)

UPC400



Camchiller®

NEW

CP3253

Exterior Dimension: L 53 x **W** 32,5 x **H** 3 cm
Colour: Navy Blue (186)

CD400 Camdolly® For UPC400/UPCH400

CD400

Exterior Dim: W 71 x **D** 53 x **H** 23 cm
Capacity: 136 kg
Colours: Dark Brown (131), Slate Blue (401)

GN Pan & Bakery Trolley

6040 BAKERY TROLLEY

CODE	UPR6040F18	UPR6040H9
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	18 Sheet Pans	9 Sheet Pans
DIMENSION D x W x H	78,3 x 51,6 x 170,8 cm	78,3 x 51,6 x 101,4 cm
UNIT WEIGHT	21,3 kg	14 kg
WEIGHT-BEARING CAPACITY 18 kg per Rail Set	340 kg	170 kg

Colour: Speckled Gray (480). **Casters:** 4 each 12,7 cm swivel casters with total locking brake.

GN 1/1 FOOD PAN TROLLEYS STANDARD CAPACITY

1 Food Pan per Rail Set

CODE	UGNPR11F18	UGNPR11H9
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	18 GN 1/1 Food Pans	9 GN 1/1 Food Pans
DIMENSION D x W x H	73,03 x 43,8 x 170,7 cm	73,03 x 43,8 x 101,6 cm
UNIT WEIGHT	24,2 kg	14,8 kg
WEIGHT-BEARING CAPACITY 18 kg per Rail Set	340 kg	170 kg

Colour: Speckled Gray (480). **Casters:** 4 each 12,7 cm swivel casters with total locking brake.

GN 2/1 FOOD PAN TROLLEYS HIGH-VOLUME CAPACITY

2 Food Pans per Rail Set

CODE	UGNPR21F36	UPNGR21H18
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	36 GN 1/1 Food Pans	18 GN 1/1 Food Pans
DIMENSION D x W x H	83,5 x 64,5 x 170,7 cm	83,5 x 64,5 x 101,6 cm
UNIT WEIGHT	27,6 kg	17,1 kg
WEIGHT-BEARING CAPACITY 36 kg per Rail Set	340 kg	170 kg

Colour: Speckled Gray (480). **Casters:** 4 each 12,7 cm swivel casters with total locking brake.

PAN STOPS

UGNPRPSF
For Full Size Trolleys

UGNPRPSH
For Half Size Trolleys

Colour: Speckled Gray (480).

COVERS

UPR6040CVR
For Full Size 6040 Trolley
72 x 55 x 154 cm

Colour: Opaque (CLR).

GBCTUGNPR11
For Full Size GN 1/1 Trolley
66,3 x 47,2 x 154,4 cm

GBCTUGNPR21
For Full Size GN 2/1 Trolley
78,7 x 67,9 x 154,4 cm

KD



All Trolleys ship knockdown in 1 box

NSF COMPONENT

StoreSafe StaySafe

Lifetime warranty against rust and corrosion

Premium Series Camshelving®

MADE IN INDIA

STATIONARY | MOBILE | HIGH-DENSITY

- Easy to clean and adjust.
- Quick and easy to assemble.
- Ideal for coolers, freezers and warewashing areas.
- Strong enough to support the toughest loads.
- Impervious to harsh chemicals and salt water.

Composite material with a molded-in steel core

Lifetime Rust Free

Ideal for walk-ins, freezers, and dry storage

Weight Bearing

910 kg

per single unit

Patent pending APPL NO 202521014798
DESIGN REGN 448232, 448234...

STATIONARY | MOBILE | HIGH DENSITY

- Posts and traverses have a steel core and smooth polypropylene exterior for superior strength and durability.
- Traverse dovetails are molded into posts every 10,2 cm.
- Polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38˚ to 88˚C.
- Lifetime warranty against rust and corrosion.



"Lock tab" design solidly "locks" both post and post connector together for enhanced stability.

Connectors remain engaged on posts even under the most rigorous and demanding storage conditions.

Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Full Wrap Security Cage, Single Shelf Security Cage, Ultimate #10 Can Rack, Shelf Rails, Shelf Divider Bars, High Density Track and Extension Kits are not NSF Listed.

Work Order No -W00993679

Store Safe · 5 PP · NSF Applied for NSF COMPONENT

STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.

***Units ship in separate post kit (unassembled) and shelf kit cartons due to overall weight.**

Stationary

3 Depths	4 Lengths	1 Heights
460 mm	915 mm 1220 mm	1830 mm
540	1070 1525	
610		

Standard Mobile

3 Depths	3 Lengths	1 Height
460 mm	915 mm	1922 mm
540	1070	
610	1220	



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 610 – 1220 MM	UNIT LENGTH 1375 – 1830 MM
SINGLE UNIT	Unit only	910 kg	910 kg
	Shelf only	365	275
	Unit with dunnage stand*	1110	1045
	Bottom shelf with dunnage stand*	545	410
CORNER UNIT* ** With 2 Dunnage Stands required	Unit only	820	—
	Shelf only	185	—
	Bottom shelf with dunnage stands*	275	—
MOBILE UNIT	Unit only**	340	—

***Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See page 04-05).**

****Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 340 kg.**

*****Corner connectors are for use only with shelves 610 - 1220 mm long.**

Premium High Density Shelving System

High Density Full Track and Track Extension Kits

Each kit ships complete in 1 box with aluminum raised track rails and stainless steel hardware required to complete installation.



Track rail (underside) shown with end plate installed.

Track rail (underside) shown with track rail joiner partially installed

It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.

Full Track Kits
3050 mm Track for 3 Mobile Units*
3660 mm Track for 4 Mobile Units*
4420 mm Track for 5 Mobile Units*

Color: Silver (000). *Based on 610 mm deep mobile units.
Full Track Kits include: Track rails, rail joiners, end plates, 8 stainless steel leveling feet (for stationary units) and required hardware.



High Density Floor Fastener

Secure stationary unit front posts with rails directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.



Hole diameter 16 mm.

High Density Caster

Utility Shelving

WINE SHELVING

Holds upto **144** Wine bottles

HOLDS EVERYTHING

food pans, boxes, sheet pans, trays, and even pizza dough boxes

UNIVERSAL STORAGE RACK

S-SERIES DUNNAGE RACKS

Keep frozen, cold or dry inventory 30,5 cm safely off the floor.

Camshelving® Drying Racks

Securely holds up to
128
meal delivery Plates
and a variety of PC/GN pan sizes, pots.

ANGLED DRY RACK

Dimension : 1220(L) x 610(D) x 1922(H) in mm

Securely holds
100
meal delivery domes.

DOME DRY RACK

Dimension : 915(L) x 610(D) x 1922(H) in mm

Designed to stack and dry up to
28
trays per shelving level

TRAY DRY RACK

Dimension : 1220(L) x 610(D) x 1922(H) in mm

New Product Introduction

Scan QR for

Complete Range

CAMBRO

Nilkamal

Camshelving Premium Series

Camshelving® Wine Rack

Camshelving GN Food Pan Trolleys

Pan Stop

CamRound® FreshPro

Translucent CamSquares® 0,47 and 0,95L

Service Cart Pro

Camliter® with Flip Lid

20-Tray Meal Delivery Cart

Insulated Containers

Round Insulated Container

Salient Features

- Attractive outer body made of blow-molded plastics & PU insulation which maintains the temperature inside.
- Strong insulated steel inner body made of SS 304-grade material.
- Manages temperature drop up to 4-5°C for 4 hours.
- Ideal for Caterers, Hotels, Restaurants & Canteens

CODE	DESCRIPTION	DIMENSIONS L x W x H
GMRCWS9LRED	SS ISOTHERMAL CONTAINER 9L	300 X 300 X 330 mm
GMRCWS15LRED/BLUE	SS ISOTHERMAL CONTAINER 15L	350 X 350 X 350 mm
GMRCWS30LRED/BLUE	SS ISOTHERMAL CONTAINER 30L	425 X 425 X 430 mm
GMRCWS49LRED/BLUE	SS ISOTHERMAL CONTAINER 49L	475 X 475 X 480 mm

Colour: Red / Blue

Note: 9L available with tap and without tap.

Square Insulated Container

With The Wheels

Salient Features

- Attractive outer body made of roto-molded plastics & PU insulation which maintains the temperature inside.
- Strong insulated steel inner body made of SS 304-grade material.
- Manages temperature drop up to 4-5°C for 4 hours.
- Ideal for Caterers, Hotels, Restaurants & Canteens

CODE	DESCRIPTION	DIMENSIONS L x W x H
GMSCWS35LWWGRN/RED	SQUARE SS INSULATED CONTAINER 35L	465 X 445 X 585 mm
GMSCWS45LWWGRN/RED	SQUARE SS INSULATED CONTAINER 45L	475 X 455 x 690 mm

Colour: Red / Green

Pedal Waste Bins

Choose From Four Convenient Sizes for a Cleaner, Quieter Space

Features:

- Available in four practical sizes: 30L, 45L, 68L, and 87L.
- Soft-close technology minimizes noise, making it ideal for any environment.
- Larger bins (68L and 87L) come with rear wheels, making transport a breeze.
- Lids are available separately for maximum customization and flexibility.
- Designed for efficiency in tight spaces, these bins feature an easy-to-use, front-facing pedal for hands-free waste disposal.
- Sleek surface is a breeze to clean, saving you both time and effort

CODE	DESCRIPTION	DIMENSIONS L x W x H
WBFC30LBASE	30L Waste Bin, Base	398,5 x 409 x 432 mm
WBFC45LBASE	45L Waste Bin, Base	398,5 x 409 x 597
WBFC3045LLID	Lid for 30L & 45L	398,5 x 409
WBFC68LBASE	68L Waste Bin, Base	408,5 x 498 x 668
WBFC87LBASE	87L Waste Bin, Base	408,5 x 498 x 828
WBFC6887LLID	Lid for 68L & 87L	408 x 498

Case Pack: 6

Lid Colours: Yellow(229)/ Green(519)/ Red(158)/ Blue(186)/ Grey(180).

Waste Bin Colour: Grey(180).

Round Waste Bins

Enhance Your Space with Round Wastebins
Stylish, Sturdy, and Ideal for Any Environment

Key Features

- Made of High Quality Material, Durable.
- Light, Flexible, Good Appearance & Benefit to the Environment Protection.
- Applicable to Collect Bulk Waste.

Lids Available

Open Lid for Plastic Round Bin 80L

GMWBR80LOLIDGRY

Dolly

CODE	DESCRIPTION	DIMENSIONS Ø x H	COLOUR
WBRC80L (Made in India)	80 Ltr Round Waste Bin With Lid & Plastic Handle	OD - 520 MM x 600 MM ID - 470 MM x 600 MM	IGY
GMWBR80L	80 Ltr Round Waste Bin With Lid	OD - 490 MM x 610 MM ID - 450 MM x 610 MM	GRY
GMFWB4	Dolly for 80 ltr		GRY
GMWBR120L	120 Ltr Round Waste Bin With Lid	OD - 550 MM x 690 MM ID - 510 MM x 690 MM	GRY
GMFWB5	Dolly for 120 ltr		GRY

Sleek Bin

Sleek Bin 87 Ltr

Sleek Bin 60 Ltr

NEW

Coming Soon May 2026

Stainless Steel GN Pans

Available in : 201 grade with thickness 0.6mm | 304 grade with thickness 0.8mm

1/1
Depth (20, 40, 65, 100, 150, 200)MM

1/1
Depth (65, 100, 150)MM
Perforated (3mm, 6mm)

1/2
Depth (20, 40, 65, 100, 150, 200)MM

1/2
Depth (65, 100, 150)MM
Perforated (3mm, 6mm)

1/3
Depth (65, 100, 150, 200)MM

1/4
(65, 100, 150, 200)MM

1/6
(65, 100, 150, 200)MM

1/9
(65, 100, 150)MM

2/1
(65, 100, 150)MM

2/3
(65, 100, 150)MM

(1/1)
(1/2, 1/3,1/4,1/6,1/9)LID

(2/1, 2/3)LID

***Ice Cream Pans & Lids are also available**

Authorized Distributor

Electrolux PROFESSIONAL

Sweden

CAMBRO Nilkamal

Dishwasher, Combi Ovens, Freezer Chillers

Rack Type Dishwasher

Hood Type Dishwasher

Undercounter

SkyLine Pro Combi Boilerless Oven

Skyline Pro Combi Boilerless Oven

2-Door Freezer Counter

3-Door Freezer Counter

2x1/2-Door Freezer Cabinet

4x1/2 Door Refrigerated Cabinet

For more details please connect with Cambro Nilkamal representative.

Authorized Distributor

Hamilton Beach COMMERCIAL

USA

CAMBRO Nilkamal

High Performance Culinary Blenders

Rio

Tango

Fury

Tempest

Drink Mixer
Single Triple Spindle

Eclipse Quiet Blend

Summit Edge
Quiet Blend & Autoblend

CPM800 With 8 ltr Bowl SS Beater,
Dough Hook And Wire Whisk

Expeditor HBF510

Expeditor HBF1100S
4 ltr SS jar

For more details please connect with Cambro Nilkamal representative.

New Product Added
AVAILABLE IN READY STOCK
New Product Added

Food Service Equipment

CNHATCOTM05H
Toast-max Conveyor Toasters
3 Slices/Minute
Voltage: 230 V
Dimension: 290 x 419 x 387 mm

CNHATCOTM10H
Toast-max Conveyor Toasters
6 Slices/Minute
Voltage: 230 V
Dimension: 368 x 419 x 387 mm

CNHATCORHW1
Round Heated Wells
Voltage: 230 V
Dimension: 359 x 330 x 355 mm

CNHATCOTPT2304
Pop-up Toaster
Voltage: 230 V
Dimension: 346 x 313 x 204 mm

For more details please connect with Cambro Nilkamal representative.

Disclaimer: *Image and accessories shown may differ from the actual equipment. technical specifications are subject to change without any prior notice.*

Authorized Distributor

JTC

Taiwan

CAMBRO Nilkamal

Blenders for Commercial Kitchen

JTC OmniBlend Bar Blender
with 2L pc jar-767

JTC Blender with 1.5L pc jar
Omni Shield III-Rubber lid-900QA

JTC OmniBlend Bar Blender
with 1.5L pc jar-800A

JTC OmniBlend Bar Blender
with 1.5L pc jar-788A

JTC Blender with 1.5L pc jar
Omni Shield-800AQ

For more details please connect with Cambro Nilkamal representative.

Piping hoT™

Quality Cooking With Affordable Price

Commerical Cooking Induction - Drop in / Table Top

PHTT35
Table Top with Digital Control
Power : 3.5Kw
Temperature : Maximum upto 240°C
Size : 410 X 350 X 98mm

PHTTW35
Table Top Wok with Knob Control
Power : 3.5Kw
Temperature : Maximum upto 240°C
Size 410 X 350 X 143mm

PHTT35KNOB
Table Top with Knob Control
Power : 3.5Kw
Temperature : Maximum upto 240°C
Size 410 X 350 X 98mm

PHDTDZ34IB
Drop in/Table Top with Two Induction Zones Built in Control
Power : 3400W
Temperature : Maximum upto 240°C
Size : 735 X435 X 80mm |Cut out Size : 680 X410mm

PHDT22IB/PHDT22IBSG*
Drop In/Table Top with Steel Rim Built in Control
Power : 2.2Kw
Temperature : Maximum upto 240°C
Size : 302 X 374 X 80mm | Cutout Size : 280 X 355mm
Also available with Schott Ceran Glass

PHDT22E/PHDT22ESG*
Drop In/Table Top with Steel Rim External Control
Power : 2.2Kw
Temperature : Maximum upto 240°C
Size : 340 X 340 X 94mm | Cutout Size : 320 X 320mm
Also available with Schott Ceran Glass

PHDT35E/PHDT35ESG*
Drop In/Table Top with Steel Rim External Control
Power : 3.5Kw
Temperature : Maximum upto 240°C
Size : 360 X 360 X 95mm | Cutout Size : 338 X 338mm
Also available with Schott Ceran Glass

For more details please connect with Cambro Nilkamal representative.

Disclaimer: Image and accessories shown may differ from the actual equipment. technical specifications are subject to change without any prior notice.

New Product Added
AVAILABLE IN READY STOCK
New Product Added

Piping hoT™

Quality Cooking With Affordable Price

CAMBRO
Nilkamal

Commercial Warming Station - Drop In / Table Top

PHDTWS300ESG*
Commercial Warming Station with External Control
Power : 300W
Temperature : Maximum upto 90 °C
Size : 344 X 344 X 90mm / Cut out Size : 320 X 320mm
Available in Schott Ceran Glass

PHDTWS600E
Commercial Warming Station with External Control
Power : 600W
Temperature : Maximum upto 90 °C
Size : 604 X 461 X 70mm |Cut out Size : 565 X 425mm

PHDTWS850E
Commercial Warming Station with External Control
Power : 800W
Temperature : Maximum upto 90 °C
Size : 904 X 461 X 70mm |Cut out Size : 872 X 435mm

For more details please connect with Cambro Nilkamal representative.

Disclaimer: Image and accessories shown may differ from the actual equipment. technical specifications are subject to change without any prior notice.

Authorized Distributor

CAMBRO Nilkamal

robot coupe®

France

Food Processing Equipment for Commercial Kitchen

Cutter and Mixer

Blixer- 5

Food Processor

Vegetable Cutter

Juice Extractors

Vegetable Cutter

Stick Blender

For more details please connect with Cambro Nilkamal representative.

Authorized Distributor

ROLLER GRILL

France

CAMBRO

Nilkamal

Food Processing Equipment for Commercial Kitchen

Crepe Machine

Pizza Oven

Pizza Oven

Griddle Plate

Contact-Grill Savoye

Waffle Machine

Contact-Grill Majestic

Gyros-Grill

Fryer

Toaster Infrared Conveyor

For more details please connect with Cambro Nilkamal representative.

Authorized Distributor

SANTOS®

France

CAMBRO

Nilkamal

High Performance Culinary Blenders & Juicers

BRUSHLESS BLENDER

Compact Brushless Blender - 66

Expert Brushless Blender - 62

CENTRIFUGAL JUICE EXTRACTOR

Centrifugal Juice Extractor - 50

Centrifugal Juice Extractors Miracle Edition - 68

CITRUS JUICE

Citrus Juicer Chromed Painted Base 3 squeezers - 52C

Classic Citrus Juicer 3 squeezers + cover - 11

KITCHEN BLENDER

Extra Accessory 2Ltrs Stainless Steel Bowl for 37

Kitchen Blender Painted Base Without Bowl - 37

Lever Juicer Evolution - 70

Ice Crusher - 53

Drink Mixer, Electric Shaker - 54N

For more details please connect with Cambro Nilkamal representative.

Authorized Distributor

SIRMAN® Italy

CAMBRO Nilkamal

Food Processing Equipment for Commercial Kitchen

Meat Slicer

Meat Grinder

PRO 1/2 G

Salamander

Bone Saw

Bowl Cutter

Knife Sterilizer

Potato Peeler PPJ20

Potato Peeler PPJ 6 SC

Vaccum Packing

For more details please connect with Cambro Nilkamal representative.

Primary Rigid Packaging Product



PRODUCTS

Containers | Jars | Bottles | Caps and Closures | PP Bottles | Sprays and Pumps | Pails and Buckets

Press Fit Lid, Tamper Evidence, Reusable, Stackable & Nestable



With the introduction of **Rigid Packaging**, we are positioned strongly as a one-stop solution provider in the material handling and rigid packaging space.

Notes:

Cambro Made in India Catalogue V40 | SAP Code: 450065

Disclaimer: Images, dimensions, and accessories shown in the catalogue are for representational purposes only and may differ from the actual equipment. Technical specifications are subject to change without any prior notice.

CAMBRO U.S.A.
TEL: 1(714) 848-1555
FAX: 1(714) 230-4375
international@cambro.com

CAMBRO NILKAMAL PVT. LTD. (An Indo – U.S. Joint Venture)
TOLL FREE: 1800 890 9115
TEL: (91) 22 4235 8444
FAX: (91) 22 2681 8083
contact@cambro-nilkamal.com

© Copyright Cambro Manufacturing Company. Printed in INDIA.