

Western Refrigeration Private Limited

LARGEST MANUFACTURER OF COMMERCIAL COOLERS IN INDIA
A PROUD LEGACY OF 50 YEARS OF EXCELLENCE





SPECIAL RANGE FOR CHOCOLATE COOLERS

CT30HCL



Technical Specifications

External dimensions	465 (W) x 555 (D) x 450 (H)
Internal dimensions	385 (W) x 448 (D) x 370 (H)
Gross volume	30 litre
Net volume	30 litre
Net weight	18 Kg $\pm$ 5%
Footprint	0.26 sq. m
Temperature Range	<22°C
Product display area	0.19 sq. m
Shelves or Basket qty.	02 no's Shelve
Refrigerant	R-600a
Power supply	230V AC / 50 Hz / Single phase
Energy consumption	0.5743 kWh/24 hrs.

CT40HCL



Technical Specifications

External dimensions

610 (W) x 555 (D) x 450 (H)

Internal dimensions

530 (W) x 448 (D) x 370 (H)

Gross volume

40 litre

Net volume

40 litre

Net weight

20 Kg

Footprint

0.34 sq. m

Temperature Range

<22°C

Product display area

0.27 sq. m

Shelves or Basket qty.

02 no's Shelves

Refrigerant

R-600a

Power supply

230V AC / 50 Hz / Single phase

Energy consumption

0.8115 kWh/24 hrs.

CT40HC

With sliding door



Technical Specifications

External dimensions	610 (W) x 555 (D) x 450 (H)
Internal dimensions	530 (W) x 448 (D) x 370 (H)
Gross volume	40 litre
Net volume	40 litre
Net weight	20 Kg
Footprint	0.34 sq. m
Temperature Range	<22°C
Product display area	0.27 sq. m
Shelves or Basket qty.	02 no's Shelves
Refrigerant	R-600a
Power supply	230V AC / 50 Hz / Single phase
Energy consumption	0.6544 kWh/24 hrs.

EASY ACCESS BY SLIDING DOORS | LED ILLUMINATION

VT30HC



Technical Specifications

External dimensions

450 (W) x 425 (D) x 605 (H)

Internal dimensions

385 (W) x 360 (D) x 535 (H)

Gross volume

36 litre

Net volume

36 litre

Net weight

21 Kg $\pm$ 5 %

Footprint

0.19 sq. m

Temperature Range

<22°C

Product display area

0.20 sq. m

Shelves or Basket qty.

04 no's Shelves

Refrigerant

R-600a

Power supply

220V AC / 60 Hz / Single phase

Energy consumption

0.8006 kWh/24 hrs.

SRC20HC



Technical Specifications

External dimensions	350 (W) x 475 (D) x 507 (H)
Internal dimensions	270 (W) x 335 (D) x 380 (H)
Gross volume	27 litre
Net volume	26.5 litre
Net weight	19 kg
Footprint	0.16 sq. m
Temperature Range	0°C to 10°C
Product display area	0.092 sq. m
Shelves or Basket qty.	2 no's Shelves
Refrigerant	R-600a
Power supply	230V AC / 50 Hz / Single phase
Energy consumption	0.88 kWh/24 hrs

SRC30HC



Technical Specifications

External dimensions

Internal dimensions

Gross volume

Net volume

Net weight

Footprint

Temperature Range

Product display area

Shelves or Basket qty.

Refrigerant

Power supply

Energy consumption

350 (W) x 460 (D) x 630 (H)

270 (W) x 325 (D) x 500 (H)

37 Liters

36 Liters

21 Kg $\pm$ 5%

0.16 sq. m

<22°C

0.12 sq. m

3 no's Shelves

R-600a

Electric / 230V AC / 50 Hz

0.51 kWh/24 hrs.

SRC6oHC



Technical Specifications

External dimensions

462 (W) x 474 (D) x 664 (H)

Internal dimensions

382 (W) x 362 (D) x 542 (H)

Gross volume

59 litre

Net volume

54 litre

Net weight

28 Kg

Footprint

0.21 sq. m

Temperature Range

<22°C

Product display area

0.20 sq. m

Shelves or Basket qty.

02 no's Shelves

Refrigerant

R-600a

Power supply

Electric / 230V AC / 50 Hz

Energy consumption

0.78 kWh/24 hrs

CPS30



Technical Specifications

External dimensions

360 (W) x 360 (D) x 655 (H)

Internal dimensions

278(W) x 325 (D) x 385 (H)

Gross volume

34.5 litre

Net volume

34.5 litre

Net weight

22 Kg without IPS / $\pm 5\%$

Footprint

0.130 sq. m

Temperature Range

$<22^{\circ}\text{C}$

Product display area

0.207 sq. m

Shelves or Basket qty.

03 no's Shelves

Refrigerant

R-600a

Power supply

230V AC / 50 Hz / Single phase

Energy consumption

0.716g kWh/24 hrs.

THANK YOU