



TOTAL COOLING SOLUTIONS UNDER ONE ROOF





Explore Our Complete Range of Commercial Refrigeration Products – Engineered for Performance, Built to Last

Discover our complete range of Commercial Refrigeration products — engineered for performance, reliability and efficiency. From Deep freezers and Visi coolers to advanced Ice machines and Stainless steel chillers, this catalogue brings you everything under one roof to meet your cooling needs.

DEEP FREEZER

Hard Top | Convertible Freezers



Temperature Range:
Freezer Application: < -17.0°C
Chiller Application: < 10°C

AVAILABLE MODELS

Models	Gross Vol.	Net Vol.	Dimensions (mm) W x D x H	Baskets (No.)	Insulation	Energy Saving
D70H161	72 L	67 L	535 x 518 x 841	1	60mm Polyurethane	★ ★ ★ ★ ★
D150H163	106 L	105 L	635 x 540 x 885	1	70mm Polyurethane	★ ★ ★ ★ ★
D225H121	190 L	168 L	760 x 695 x 840	1	60mm Polyurethane	★ ★ ★ ★ ★
D300H123	220 L	216 L	933 x 612 x 890	1	70mm Polyurethane	★ ★ ★ ★ ★
D300H222	224 L	215 L	933 x 612 x 890	1	70mm Polyurethane	★ ★ ★ ★ ★
D340H222	320 L	290 L	1060 x 695 x 890	1	60mm Polyurethane	★ ★ ★ ★ ★
D350H224	282 L	280 L	1205 x 612 x 840	1	70mm Polyurethane	★ ★ ★ ★ ★
D375H265	306 L	302 L	1205 x 612 x 890	1	70mm Polyurethane	★ ★ ★ ★ ★
D475H223	444 L	402 L	1360 x 695 x 880	2	60mm Polyurethane	★ ★ ★ ★ ★
D525H223	505 L	454 L	1606 x 695 x 840	2	60mm Polyurethane	★ ★ ★ ★ ★
D550H224	527 L	502 L	1666 x 693 x 848	2	60mm Polyurethane	★ ★ ★ ★ ★
D625H225	568 L	542 L	1666 x 690 x 900	2	60mm Polyurethane	★ ★ ★ ★ ★
D875H324	722 L	703 L	1860 x 780 x 908	1	60mm Polyurethane	★ ★ ★ ★ ★

Glass Top | Freezers



Temperature Range: < -17.0°C

AVAILABLE MODELS

Models	Gross Vol.	Net Vol.	Dimensions (mm) W x D x H	Baskets (No.)	Insulation	Energy Saving
F250GL23	192 L	161 L	760 x 695 x 882	1	60mm Polyurethane	★ ★ ★ ★ ★
F350GL23	311 L	258 L	1060 x 695 x 882	2	60mm Polyurethane	★ ★ ★ ★ ★
F450GL23	422 L	357 L	1360 x 695 x 882	3	60mm Polyurethane	★ ★ ★ ★ ★
F550GL23	536 L	454 L	1650 x 695 x 882	4	60mm Polyurethane	★ ★ ★ ★ ★
F390GL24	375 L	290 L	1225 x 723 x 913	3	75mm Polyurethane	★ ★ ★ ★ ★
F490GL25	504 L	396 L	1555 x 723 x 913	4	75mm Polyurethane	★ ★ ★ ★ ★

DEEP FREEZER

Combi

Freezers



Temperature Range:
Freezer Application: < -17.0°C
Chiller Application: < 10°C

ECO

Freezers

NEW



Temperature Range:
Freezer Application: < -17.0°C
Chiller Application: < 10°C

AVAILABLE MODELS

Models	Gross Vol.	Net Vol.	Dimensions (mm) W x D x H	Baskets (No.)	Insulation	Energy Saving
Combi Freezers						
B325H220	162 L / 123 L	146 L / 114 L	1120 x 695 x 840	1 in Freezer	60mm Polyurethane	N.A.
B425H220	162 L / 205 L	145 L / 188 L	1360 x 695 x 840	1 in Freezer	60mm Polyurethane	N.A.
B525H220	215 L / 258 L	192 L / 235 L	1610 x 695 x 840	1 in Freezer	55mm Polyurethane	N.A.
Eco Freezers						
✓ P650H325	520 L	502 L	1720 x 760 x 885	2	90mm Polyurethane	★★★★★
✓ P1250H325	988 L	960 L	2193 x 918 x 932	2	90mm Polyurethane	★★★★★

Hard Top

Eutectic Freezers



Temperature Range: < -17.0°C

Dual SS Lid Hatched Door

Eutectic Freezers

NEW



Temperature Range: < -17.0°C

AVAILABLE MODELS

Models	Gross Vol.	Net Vol.	Dimensions (mm) W x D x H	Baskets (No.)	Insulation
Hard Top - Eutectic					
E325H220	253 L	236 L	1060 x 695 x 840	1	80mm Polyurethane
E425H220	351 L	329 L	1360 x 695 x 840	2	80mm Polyurethane
New Double SS Lid Hatched Door - Eutectic					
✓ E425D220	351 L	329 L	1360 x 695 x 920	N.A.	80mm Polyurethane
✓ E525D320	440 L	406 L	1600 x 695 x 920	N.A.	80mm Polyurethane

Glass Top Eutectic Freezers



Temperature Range: < -17.0°C

Scooping Freezers



Temperature Range: < -17.0°C

Freezers on Wheels



Temperature Range: < -17.0°C

AVAILABLE MODELS

Models	Gross Vol.	Net Vol.	Dimensions (mm) W x D x H	Baskets (No.)	Insulation	Energy Saving
Glass Top Eutectic Freezers						
E425GT20	354 L	329 L	1360 x 695 x 795	2	80mm Polyurethane	N.A.
Scooping Freezers						
F450GL23	422 L	357 L	1360 x 695 x 1266	3	60mm Polyurethane	★★★★★
F550GL23	536 L	454 L	1650 x 695 x 1266	4	60mm Polyurethane	★★★★★
Freezers on Wheels						
G200H120	117 L	115 L	940 x 640 x 785	N.A.	60mm Polyurethane	N.A.
G250H120	142 L	139 L	940 x 640 x 905	N.A.	65mm Polyurethane	N.A.
G300H220	206 L	202 L	990 x 633 x 890	N.A.	60mm Polyurethane	N.A.

Vertical Freezers



Supermarket Freezers



AVAILABLE MODELS

Models	Gross Vol.	Net Vol.	Dimensions (mm) W x D x H	Shelves (No.)	Refrigerant
Vertical - Freezers					
SRF80HC	72 L	69 L	502 x 556 x 729	3	R-290
SRF205HC	138 L	109 L	514 x 549 x 1265	3	R-290
SRF290HCF / 295HCF	186 L	136 L	514 x 549 x 1523	4	R-290
SRF405HC	344 L	295 L	623 x 657 x 1852	5	R-290
SRF550HC / 555HC	467 L	405 L	623 x 715 x 2099	6	R-290
SRF825HC	700 L	623 L	810 x 790 x 2125	5	R-290
SRF900	762 L	672 L	920 x 780 x 2128	10	R-404A
Supermarket - Freezers					
SMF12-GL	935 L	863 L	1200 x 757 x 2022	10	N.A.
SMF18-GL	1454 L	1236 L	1800 x 757 x 2022	15	N.A.

VISI COOLER

Canopy Models

Counter Top



AVAILABLE MODELS

Models	Gross Volume	External Dimensions (mm) W x D x H	Internal Dimensions (mm) W x D x H	Shelves (No.)	Capacity / Facing		
					300ml Bottle	330ml Can	500ml Pet
Counter Top Models							
SRC20HC-GL	27 L	350 x 475 x 507	270 x 335 x 380	2	12 / 4	28 / 4	12 / 4
SRC25HC-GL	29.5 L	346 x 430 x 635	270 x 295 x 370	2	16 / 4	20 / 4	14 / 4
SRC30HC-GL	37 L	350 x 460 x 630	270 x 325 x 500	2	16 / 4	32 / 4	14 / 4
SRC60HC-GL	59 L	462 x 474 x 664	382 x 362 x 542	2	36 / 6	60 / 5	30 / 5
SRC150HC-GL	139 L	484 x 547 x 981	404 x 419 x 845	4	90 / 6	156 / 6	83 / 6
CPS30HC-GLGY	34.5 L	360 x 360 x 655	278 x 325 x 385	3	20 / 4	36 / 4	16 / 4
Canopy Models							
SRC201HCF-GL	167 L	514 x 549 x 1475	434 x 454 x 850	3	105 / 7	198 / 6	90 / 6
SRC281HCF-GL	216 L	514 x 549 x 1725	434 x 454 x 1100	4	147 / 7	270 / 6	126 / 6
SRC381HCF-GL	340 L	573 x 655 x 1940	493 x 520 x 1330	5	279 / 8	469 / 7	224 / 7

Slim Models

Non Canopy Models



AVAILABLE MODELS

Models	Gross Volume	External Dimensions (mm) W x D x H	Internal Dimensions (mm) W x D x H	Shelves (No.)	Capacity / Facing		
					300ml Bottle	330ml Can	500ml Pet
Slim Models							
SRC250HC-GL	216 L	455 x 680 x 1539	375 x 529 x 1090	4	138 / 6	265 / 5	130 / 5
SRC370HC-GL	325 L	542 x 692 x 1609	463 x 570 x 1329	5	245 / 7	422 / 7	202 / 7
Non Canopy Models - Fixed Systems							
SRC200HCF-GL	167 L	514 x 549 x 1303	434 x 454 x 850	3	105 / 7	198 / 6	90 / 6
SRC280HCF-GL	216 L	514 x 549 x 1531	434 x 454 x 1100	4	147 / 7	270 / 6	126 / 6
SRC360HCF-GL	302 L	514 x 620 x 1772	434 x 520 x 1330	5	242 / 7	396 / 6	192 / 6
SRC380HCF-GL	340 L	573 x 655 x 1740	493 x 520 x 1330	5	279 / 8	469 / 7	224 / 7
SRC501HCF-GL	405 L	573 x 667 x 2023	493 x 520 x 1580	6	300 / 8	567 / 7	273 / 7

Header on Door Models



Double Door Models



Triple Door Model



AVAILABLE MODELS

Models	Gross Volume	External Dimensions (mm) W x D x H	Internal Dimensions (mm) W x D x H	Shelves (No.)	Capacity / Facing		
					300ml Bottle	330ml Can	500ml Pet
Header on Door Models							
SRC502HC-GL	460 L	583 x 707 x 2102	503 x 560 x 1634	6	332 / 8	567 / 7	273 / 7
SRC572HC-GL	510 L	640 x 707 x 2103	560 x 560 x 1634	6	376 / 9	648 / 8	312 / 8
SRC752HC-GL	585 L	720 x 707 x 2103	640 x 560 x 1634	6	400 / 10	630 / 9	315 / 9
Double Door Models							
SRC 810 HC-GL	695 L	1025 x 668 x 1840	945 x 538 x 1365	10	555 / 8+7	895 / 7+7	434 / 7+7
SRC 950 HC-GL	807 L	1025 x 707 x 2052	945 x 552 x 1592	10	600 / 8+7	980 / 7+7	490 / 7+7
SRC 1050HC-GL	908 L	1025 x 767 x 2121	945 x 612 x 1592	12	675 / 7+8	1161 / 7+7	540 / 7+7
SRC 1055HC-GL	916 L	1025 x 767 x 2121	945 x 619 x 1592	12	675 / 8+7	1152 / 7+7	588 / 7+7
Triple Door Model							
SRC1800-GL	1882 L	1800 x 850 x 2201	1700 x 678 x 1680	15	1275 / 9+9+9	2040 / 8+8+8	1020 / 8+8+8

Supermarket Chiller



Plug-in Open Showcase




AVAILABLE MODELS

Models	Gross Volume	External Dimensions (mm) W x D x H	Internal Dimensions (mm) W x D x H	Shelves (No.)	Capacity / Facing		
					300ml Bottle	330ml Can	500ml Pet
Supermarket Chiller							
SMR12-GL (CHILLER)	935 L	1200 x 757 x 2022	1077 x 590 x 1495	10	712 / 8+7	1176 / 7+7	556 / 7+7
SMR18-GL (CHILLER)	1454 L	1800 x 757 x 2022	1676 x 590 x 1495	15	1007 / 8+7+7	1870 / 7+7+7	898 / 7+7+7
Model	Gross Vol.	External Dimensions (mm) W x D x H	Internal Dimensions (mm) W x D x H	Shelves (No.)	Product Temp.	Total Display Area (M²)	
Plug-in Open Showcase							
WQS18	1900 L	1892 x 839 x 1998		5	1 - 10°C	3.60	

ICE MACHINES


IM-N Series



AVAILABLE MODELS

Models	Capacity A.T. 10°C W.T. 10°C	Dimensions (mm) W x D x H	Production Capacity		Bin Capacity	Shipping Weight (Kgs)
			A.T. 21°C W.T. 15°C	A.T. 32°C W.T. 21°C		
IM-30CA	30 kgs / day	398 x 510 x 695	28	25	12	49
IM-45CA	47 kgs / day	660 x 570 x 695	44	38	15	65
IM-45CPE	44 kgs / day	633 x 511 x 690	40	32	15	56
IM-65PE LM	63 kgs / day	633 x 506 x 860	56	46	26	61
IM-65PE Q	26 kgs / day	633 x 506 x 860	24	20	17	66
IM-130A	126 kgs / day	660 x 570 x 1200	125	100	52	98
IM-220AA	185 kgs / day	560 x 639 x 775	170	155	Various	76


FM-Flakes / Nugget Ice



AVAILABLE MODELS

Models	Capacity A.T. 10°C W.T. 10°C	Dimensions (mm) W x D x H	Production Capacity		Bin Capacity	Shipping Weight (Kgs)
			A.T. 21°C W.T. 15°C	A.T. 32°C W.T. 21°C		
FM-80KEHC/N	65 kgs / day	640 x 600 x 800	55	45	32	75
FM-150KEHC/N	140 kgs / day	640 x 600 x 800	120	100	32	82
FM-300AKEHC/N	270 kgs / day	560 x 700 x 780	225	180	Various	87
FM-480AKEHC-SB/N	500 kgs / day	560 x 700 x 780	360	290	Various	102
FM-1000AKESB/N	850 kgs / day	762 x 700 x 780	730	590	Various	156

KM-Crescent Edge



AVAILABLE MODELS

Models	Capacity A.T. 10°C W.T. 10°C	Dimensions (mm) W x D x H	Production Capacity		Bin Capacity	Shipping Weight (Kgs)
			A.T. 21°C W.T. 15°C	A.T. 32°C W.T. 21°C		
KM-40C	43 kgs / day	452 x 610 x 842	41	33	16	50
KM-60C	60 kgs / day	605 x 610 x 842	56	45	23	58
KM-80C	80 kgs / day	605 x 712 x 842	74	57	34	64
KM-130C	130 kgs / day	630 x 719 x 1333	120	90	55	81
KMD-201AA	190 kgs / day	560 x 625 x 610	167	135	Various	73
KMD-270AA	265 kgs / day	560 x 625 x 610	248	221	Various	73
KM-470AJ	495 kgs / day	762 x 695 x 825	480	380	Various	136

Ice Dispensers



Western Ice Machines



AVAILABLE MODELS

Models	Capacity A.T. 10°C W.T. 10°C	Dimensions (mm) W x D x H	Production Capacity		Bin Capacity	Shipping Weight (Kgs)
			A.T. 21°C W.T. 15°C	A.T. 32°C W.T. 21°C		
Ice Dispensers						
DCM-60 KEHC	110 cups/hour	350 x 585 x 695	99 cups/hour	87 cups/hour	1.9	56
DCM-120KEHC	230 cups/hour	350 x 585 x 815	209 cups/hour	188 cups/hour	4	66
Models	Capacity A.T. 21°C W.T. 15°C	Dimensions (mm) W x D x H	Ice Shape (mm)	Storage Capacity (Kgs)	Power Supply	Net Weight (Kgs)
Western Ice Machines						
WOI-30H	26.3 kgs / day	415 x 467 x 768 (with 25mm leg)	Cube (22 x 22 x 22)	9.5	230V Ac/50Hz	38
WOI-45	36.5 kgs / day	550 x 596 x 897 (with 90mm leg)	Cube (22 x 22 x 22)	15	230V Ac/50Hz	45
WOI-80	67.1 kgs / day	660 x 708 x 1084 (with 90mm leg)	Cube (22 x 22 x 22)	32	230V Ac/50Hz	63
WOI-125	98.5 kgs / day	660 x 708 x 1232 (with 90mm leg)	Cube (22 x 22 x 22)	43.6	230V Ac/50Hz	66

STAINLESS STEEL SERIES

Upright Chiller / Freezer

Upright Combi



AVAILABLE MODELS

Models		Gross Volume	Dimensions (mm) WxDxH with 90mm leg	Power Supply	Shelves (No.)	Temperature Range	
Chillers	Freezers					Chillers	Freezers
Upright Chiller / Freezer							
HRWH77MS4 / LS4	HFWH77MS4 / LS4	628 L	700 x 818 x 1990	230V AC / 50Hz	4	-2° C to 12° C	-7° C to -25° C
HRWH127MS4 / LS4	HFWH127MS4 / LS4	1119 L	1200 x 818 x 1990	230V AC / 50Hz	8	-2° C to 12° C	-7° C to -25° C
HRWH147MS4 / LS4	HFWH147MS4 / LS4	1365 L	1400 x 818 x 1990	230V AC / 50Hz	8	-2° C to 12° C	-7° C to -25° C
HRW-187MS4 / LS4	HFW-187MS4 / LS4	1720 L	1800 x 818 x 1990	230V AC / 50Hz	12	-2° C to 12° C	-7° C to -25° C
Upright Combi							
HRFWH77MS4 / LS4		305 L + 305 L	700 x 818 x 1990	230V AC / 50Hz	4	-2° C to 12° C	-7° C to -25° C
HRFWH127MS4 / LS4		510 L + 510 L	1200 x 818 x 1990	230V AC / 50Hz	8	-2° C to 12° C	-7° C to -25° C

Long Glass

Static Range

Drawers Series



AVAILABLE MODELS

Models	Gross Vol.	Dimensions (mm) WxDxH	Power Supply	Shelves	Temperature Range
Long Glass					
HRWH77LS4-LG	628 L	700 x 818 x 1990	230V AC / 50Hz	4	-2° C to 12° C
HRWH127LS4-LG	1119 L	1200 x 818 x 1990	230V AC / 50Hz	8	-2° C to 12° C
Static Range					
RTSW97MS4-GNTE	270 L	900 x 700 x 1056	230V AC / 50Hz	4 / 4 rail sets	-2° C to 8° C
RTSW137MS4-GNTE	417 L	1350 x 700 x 1056	230V AC / 50Hz	6 / 6 rail sets	-2° C to 8° C
RTSW97MS4-GNTS	255 L	900 x 745 x 939	230V AC / 50Hz	4 / 4 rail sets	-2° C to 8° C
RTSW137MS4-GNTS	394 L	1350 x 745 x 939	230V AC / 50Hz	6 / 6 rail sets	-2° C to 8° C
Drawers Series					
RTDWH137MS4-33	305 L	1300 x 700 x 850	230V AC / 50Hz	N.A.	-2° C to 12° C
RTDWH187MS4-333	461 L	1765 x 700 x 850	230V AC / 50Hz	N.A.	-2° C to 12° C

Under Counter Chiller / Freezer

Makeline Counters



* Right Side Condensing Unit Available



AVAILABLE MODELS

Models		Gross Volume	Dimensions (mm) WxDxH with 150mm leg	Power Supply	Shelves (No.)	Temperature Range	
Chillers	Freezers					Chillers	Freezers
Under Counter Chiller / Freezer							
RTWH70MS4 / LS4	FTWH70MS4 / LS4	171 L	700 x 755 x 850	230V AC / 50Hz	2	-2º C to 12º C	-7º C to -23º C
RTWH120MS4 / LS4	FTWH120MS4 / LS4	306 L	1200 x 750 x 850	230V AC / 50Hz	4	-2º C to 12º C	-7º C to -23º C
RTWH126MS4 / LS4	FTWH126MS4 / LS4	233 L	1200 x 600 x 850	230V AC / 50Hz	4	-2º C to 12º C	-7º C to -23º C
RTWH150MS4 / LS4	FTWH150MS4 / LS4	418 L	1500 x 750 x 850	230V AC / 50Hz	4	-2º C to 12º C	-7º C to -23º C
RTWH156MS4 / LS4	FTWH156MS4 / LS4	318 L	1500 x 600 x 850	230V AC / 50Hz	4	-2º C to 12º C	-7º C to -23º C
RTWH180MS4 / LS4	FTWH180MS4 / LS4	526 L	1800 x 750 x 850	230V AC / 50Hz	6	-2º C to 12º C	-7º C to -23º C
RTWH186MS4 / LS4	FTWH186MS4 / LS4	400 L	1800 x 600 x 850	230V AC / 50Hz	6	-2º C to 12º C	-7º C to -23º C
RTWH127MS4-GN/LS4-GN	FTWH127MS4-GN/LS4-GN	282 L	1200 x 700 x 850	230V AC / 50Hz	4 no. of GN rail	-2º C to 12º C	-7º C to -23º C
RTWH177MS4-GN/LS4-GN	FTWH177MS4-GN/LS4-GN	436 L	1660 x 700 x 850	230V AC / 50Hz	6 no. of GN rail	-2º C to 12º C	-7º C to -23º C
Makeline Counters							
RTWH208LS4	N.A.	655 L	2026 x 818 x 1055	230V AC / 50Hz	N.A.	0º C to 4º C	N.A.
RTWH209LS4	N.A.	655 L	2026 x 983 x 1055	230V AC / 50Hz	N.A.	0º C to 4º C	N.A.

Back Bar Refrigerator | Chiller



AVAILABLE MODELS

Models	Gross Volume	Dimensions (mm) W x D x H	Power Supply	Temp. Range	Shelves	Bottle Loading (No.)
RBWH95	226 L	900 x 561 x 900	230V AC / 50Hz	0°C to +10°C	4	153 Pint bottles
RBWH135	349 L	1350 x 561 x 900	230V AC / 50Hz	0°C to +10°C	6	236 Pint bottles

STAINLESS STEEL SERIES

Premium Upright Series

Premium Under Counter Series



AVAILABLE MODELS

Models		Volume	Dimensions (mm) W x D x H	Power Supply	GN rail with Shelves (No.)	Temperature Range	
Chillers	Freezers					Chillers	Freezers
Premium Upright Series		With 90mm leg					
HRWP77LS3-GN	HFWP77LS3-GN	620 L	700 x 887 x 1990	230V AC / 50Hz	4	-2°C to 12°C	-7°C to -25°C
HRWP147LS3-GN	HFWP147LS3-GN	1350 L	1400 x 887 x 1990	230V AC / 50Hz	8	-2°C to 12°C	-7°C to -25°C
Premium Under Counter Series		With 150mm leg					
RTWP127LS3-GN	FTWP127LS3-GN	282 L	1200 x 700 x 850	230V AC / 50Hz	4	-2°C to 12°C	-7°C to -23°C
RTWP177LS3-GN	FTWP177LS3-GN	436 L	1660 x 700 x 850	230V AC / 50Hz	6	-2°C to 12°C	-7°C to -23°C

Dishwasher

Undercounter & Hood Type



Glasswasher

Undercounter



AVAILABLE MODELS

Models	Dimensions (mm) WxDxH	Electricity Consumption	Washing Capacity (Basket/hr)	Tank Capacity		Pump Power		Heat Power		Max. Noise
				Washing	Boiler	Washing	Rinsing	Washing	Rinsing	
Dishwasher										
WBY-50T-PDT	595 x 645 x 830	5.5 kW 220-240V 50 Hz	35/27/23/20/18	27 L	6 L	0.66 kW	0.25 kW	2 kW	5 kW	70 dBA
WBM-1080-T	700 x 785 x 1480 (1960)	9.66 kW 380V 3NPE 50 Hz	69/35/27/23/18	22 L	7 L	0.66 kW	0.25 kW	2 kW	9 kW	70 dBA
Glasswasher										
WBY-40T-PDT	475 x 540 x 765	3.3 kW 220-230V NPE 50 Hz	33/26/18	18.4 L	2.8 L	0.31 kW	-	2 kW	3 kW	70 dBA

CONFECTIONARY / PASTRY CABINET

Standard Confectionary Cabinet



* Available Variants: Cold, Hot and Ambient

**PTW 09, 12, 15 also Available in Golden Body

AVAILABLE MODELS

Models	Volume		Dimensions (mm) W x D x H	Foot Print (Sq. Mtr.)	Refrigerant	Temp. Range	Shelves (Nos.)
	Gross	Net					
PTW06HC	232 L	205 L	600 x 665 x 1235	0.4	R290	2°C to 10°C	Base + 3 Shelves
PTW09HC	360 L	320 L	900 x 665 x 1235	0.6	R290	2°C to 10°C	Base + 3 Shelves
PTW12HC	500 L	435 L	1200 x 665 x 1235	0.8	R290	2°C to 10°C	Base + 3 Shelves
PTW15HC	660 L	577 L	1500 x 665 x 1235	1	R290	2°C to 10°C	Base + 3 Shelves
PTW15PHC-SBX (With Veg & Non Veg Section)	Veg. 248 L Non-Veg 387 L	Veg. 216 L Non-Veg 337 L	1500 x 665 x 1235	1	R290	2°C to 5°C	Base + 2 Shelves (Base + 3 Shelves Option available)

Premium Pastry Cabinet



* Available Variants: Cold, Hot and Ambient

**Also Available in Grey Body

Vertical Pastry Cabinet

NEW



* Available Variants: Cold, Hot and Ambient
**Also Available in Golden Body

AVAILABLE MODELS

Models	Volume		Dimensions (mm) W x D x H	Foot Print (Sq. Mtr.)	Refrigerant	Temp. Range	Shelves (Nos.)
	Gross	Net					
Premium Pastry Cabinet							
✔PPTW12HC	526 L	447 L	1158 x 676 x 1244	0.78	R290	2°C to 10°C	3 + 1
✔PPTW15HC	671 L	570 L	1458 x 676 x 1244	0.96	R290	2°C to 10°C	3 + 1
Vertical Pastry Cabinet							
✔PTW775VHC-P	658 L	635 L	720 x 822 x 1937	0.98	R290	2°C to 10°C	7 + 1
✔PTW1165VHC-P	820 L	771 L	1025 x 724 x 1931	1.27	R290	2°C to 10°C	14 + 2

WATER COOLERS



AVAILABLE MODELS


Models	Storage Capacity	Cooling Capacity	Dimensions (mm) W x D x H	Faucet Tap (No.)	Tap Options			Refrigerant
SWC1540 / PWC1540	40 L	15 L per/hr	455 x 657 x 1199	1	Cold	-	-	R-134a
SWC4080HC / PWC4080HC	80 L	40 L per/hr	640 x 676 x 1241	2	Cold	Cold	-	R-290 Eco-Friendly
SWC4080HC-A / PWC4080HC-A	80 L	40 L per/hr	640 x 676 x 1241	2	Ambient	Cold	-	R-290 Eco-Friendly
SWC6080 / PWC6080	80 L	60 L per/hr	640 x 676 x 1241	2	Cold	Cold	-	R-134a
SWC6080-A / PWC6080-A	80 L	60 L per/hr	640 x 676 x 1241	2	Ambient	Cold	-	R-134a
SWC80120 / PWC80120	120 L	80 L per/hr	670 x 821 x 1241	2	Cold	Cold	-	R-134a
SWC80120-A / PWC80120-A	120 L	80 L per/hr	670 x 821 x 1241	2	Ambient	Cold	-	R-134a
SWC120120 / PWC120120	120 L	120 L per/hr	670 x 821 x 1241	2	Cold	Cold	-	R-134a
SWC120120-A / PWC120120-A	120 L	120 L per/hr	670 x 821 x 1241	2	Ambient	Cold	-	R-134a
SWC150150-RAH / PWC150150-RAH	150 L	150 L per/hr	800 x 821 x 1241	3	Ambient	Cold	Hot	R-134a
SWC150150-D / PWC150150-D	150 L	150 L per/hr	800 x 821 x 1241	3	Cold	Cold	Cold	R-134a
SWC150150-DA / PWC150150-DA	150 L	150 L per/hr	800 x 821 x 1241	3	Ambient	Cold	Cold	R-134a
SWC150150-N / PWC150150-N	150 L	150 L per/hr	800 x 821 x 1241	3	Cold	Cold	Cold	R-134a
SWC150150-NA / PWC150150-NA	150 L	150 L per/hr	800 x 821 x 1241	3	Ambient	Cold	Cold	R-134a
SWC150150-NAH / PWC150150-NAH	150 L	150 L per/hr	800 x 821 x 1241	3	Ambient	Cold	Hot	R-134a

MEDICAL REFRIGERATORS



AVAILABLE MODELS

Models	Volume	Vaccine Capacity	Dimensions (mm) W x D x H	No. of Basket / Shelves	Power Supply (Single Phase)	Refrigerant	Cabinet Temperature
Vaccine Freezer							
VFW140H-HC	142 L	68 L	710 x 720 x 955	4	220-240V Ac/50 Hz	R-290 Eco-Friendly	< -15°C
VFW310H-HC	317 L	166 L	1230 x 720 x 965	8	220-240V Ac/50 Hz	R-290 Eco-Friendly	< -15°C
Ice Lined Refrigerator							
I325H120	154 L	120 L	1020 x 805 x 970	-	220-240V Ac/50 Hz	R-290 Eco-Friendly	+2°C to +8°C
I425H120	253 L	192 L	1320 x 805 x 970	-	220-240V Ac/50 Hz	R-290 Eco-Friendly	+2°C to +8°C
I525H120	266 L	216 L	1410 x 805 x 970	-	220-240V Ac/50 Hz	R-290 Eco-Friendly	+2°C to +8°C
Pharmaceutical Refrigerator							
PR-600	507 L	453 L	660 x 830 x 1817	4	230V Ac/50 Hz	R-290 Eco-Friendly	+2°C to +8°C



RELIABLE SERVICE

Our extensive service network ensures swift service and maintenance for all Western Equipment.

Call us at : 70450 17000



COMPLETE SALES SUPPORT

With 25 branches across India, we're here to fulfill all your refrigeration needs.

Reach out at : 022 6907 0000

South Zone

Chennai	: Old No.14, New No. 47, 12th Avenue, Ashok Nagar, Chennai-600 083.
Coimbatore	: Priya Ware House, No.52/1, Uzhalaipalar Street, Periyagounden, Thottam, Urumandampa layam, G.N. Mills Post, Coimbatore-641 029.
Cochin	: B.No: 2/378A, Methanam Road, Eloor North, Udyogamandal P.O. Kochi-683 501.
Hyderabad	: D. No: 2 - 99, K.S.Towers, Vennelagadda, Besides Sarvothama Care, Near Suchitra Centre, Jedimetla (V), Hyderabad-500 055.
Bangalore	: Survey 42/1, Katha No. 191/142/1, Haralukkute Village, Begur Hobli, Trio Apparels Compound, Hosapalya, Muneshwar Nagar, Kudlu Main Road, Bangalore-560 068.
Vijaywada	: Door No.2-105/2, Kamakshi Godown, Nallagunta Centre, Gollapudi, Vijayawada Rural, Krishna Dist., AP-521 225.
Vizag	: Served from Vijaywada.
Hubli	: C/O -Madhuban Industries, Plot No. 117, 179 Rayapur Industrial Area, Behind Navalur Railway Goods Shed, Dharwad-580 009 (Karnataka)

East Zone

Kolkata	: 19A Jawaharlal Nehru Road, 3rd Floor, Flat No. D/1, Kolkata-700 087.
Bhubaneswar	: C/O-Lingaraj Body Building Works, Plot No-1143, Near U.G.M.E School, At Hanspal, PS-Mancheswar, Bhubaneswar-752 101 (ODISHA).
Patna	: S S Vihar, 4th Floor, Flat No.107, Station Road, Karbigahiya, Beside Bhagawati Complex and Ram Dulari Hotel, Patna-800 001.
Guwahati	: 1st Floor, Upasana Palace Complex, R P Road, Ganeshguri, Guwahati, Kamrup Metropolitan Guwahati - 781 006, Assam.
Ranchi	: Lower Chutia, Samlong, Ranchi, Jharkhand-834 001.
Chattisgarh	: Acharya Nanesw Marg, D-272 M.R. Colony Tagore Nagar Square, Raipur-492 001 (CG)

West Zone

Mumbai RO	: 7B Pannalal Silk Mills Compound, 78 LBS Marg, Bhandup (W), Mumbai, Maharashtra.
Mumbai HO	: 501-505, 05th Floor, Ascot Centre, Sahar Road, Beside Hotel Hilton, Andheri (East), Mumbai-400 099
Pune	: 2163/26, Manas Building, Near Nilayam theatre, Sadashiv Peth, Pune-411 030.
Nashik	: Bilvadal Bungalow, Gaikwad Mala, Near Jain Bhavan, Nasik Road, Pin-422 101.
Nagpur	: Plot No. 54, Veer Sawarkar Nagar, Near Chhatrapati Square, Nagpur-440 015.
Ahmedabad	: Venus Amadeus -310, Jodhpur Cross Road, Jodhpur Village, Jodhpur, Ahmedabad:-380015. Contact No:- 07948982894
Rajkot	: Served From Ahmedabad.
Goa	: Shop No. 1 & 2, Ground Floor, Bearing S.V.No. 82/4, Mercurim, Agassaim-403 204, Goa.
Indore	: Plot No.160 PU 4 Scheme No. 54, A.B. Road, Indore-452 001.

North Zone

Delhi	: Unit No. GH-1, Ground Floor, Vardhman Grand Plaza, Manglam Place, Sector-3, Rohini, Delhi-110 085.
Jaipur	: Hall Mark, Special ("F"), Road No. 1, Industrial Estate 22 Godam, Jaipur, Rajasthan-302 006.
Lucknow	: Ho. No. 610/2395 (533a) Faizullahganj - 3, Keshav Nagar, Sitapur Road, Lucknow (U.P.)-226 021.
Ludhiana	: 4222/1, Bent Pura, Chandigarh Road, Behind Sictech Computer, Ludhiana-141 010.
Chandigarh	: Near Hotel KK Residency Shop No. 1, House No. 213 Sector 52, Village-Kajheri Chandigarh (U.T.)-160 047.
Jammu	: Birpur, Purmandal Road, Samba Jammu-181 133 (INDIA).



WANT TO KNOW MORE?
SCAN HERE!

WESTERN REFRIGERATION PVT. LTD.
Office Premises 501-505, 5th Floor,
Ascot Centre, Sahar Road, Next to Hotel Hilton,
Andheri (East), Mumbai-400 099.
Email ID: sales@westernequipments.com
Contact No.: 022 6788 1200 / 201
Website: www.westernequipments.com

TOTAL SUPPORT
Sales and Service Network
of 24 centres ensures after sales
service and maintenance
of all Western equipments.



**PAN INDIA SERVICE
NETWORK**
70450 17000

