Western Refrigeration Private Limited

LARGEST MANUFACTURER OF COMMERCIAL COOLERS IN INDIA
A PROUD LEGACY OF 50 YEARS OF EXCELLENCE

WESTERN

50 YEARS
1972-2022
OF GROWING TOGETHER

VERTICAL FREEZER

WESTERN VERTICAL FREEZER – SRF Range
Precision Freezing With Full Visibility

The Western Vertical Freezer combines powerful freezing performance with exceptional product visibility.

Designed with a sleek, space-saving vertical build and a clear glass front, it not only preserves products at optimal temperatures but also enhances display appeal. Its energy-efficient operation, user-friendly features, and durable construction make it an ideal choice for modern retail and commercial environments.

SRF80HC

Also available in EdgeLit

Technical Specifications

External Dimensions	502 (W) x 556 (D) x 729 (H)
Internal Dimensions	404 (W) x 420 (D) x 542 (H)
Gross Volume	74 Litre
Net Volume	68 Litre
Net Weight	44 Kg without IPS / ± 5%
No. of Shelves	2 Nos.
Temperature Range	-18˚C to -24˚C
Footprint	0.28 Sq. m.
Product Visibility	0.19 Sq. m.
Refrigerant	R-290
Container Loading	20'FT – 54 | 40'FT – 120
Energy Consumption	4.052 kWh/24 hrs.

SRF85HC

Technical Specifications

External Dimensions	502 (W) x 614 (D) x 870 (H)
Internal Dimensions	404 (W) x 420 (D) x 542 (H)
Gross Volume	74 Litre
Net Volume	68 Litre
Net Weight	44 Kg without IPS / ± 5%
No. of Shelves	2 Nos.
Temperature Range	-18˚C to -24˚C
Footprint	0.28 Sq. m.
Product Visibility	0.19 Sq. m.
Refrigerant	R-290
Container Loading	20'FT – 54 | 40'FT – 120
Energy Consumption	4.052 kWh/24 hrs.

SRF205HC

Technical Specifications

External Dimensions	514 (W) x 549 (D) x 1303 (H)
Internal Dimensions	394 (W) x 431 (D) x 812 (H)
Gross Volume	138 litre
Net Volume	109 litre
Net Weight	64 Kg With IPS / 61 Kg without IPS / ± 5%
No. of Shelves	3 no's Shelves
Temperature Range	-26˚C to -18˚C
Footprint	0.28 sq. m
Product Display Area	0.31 sq. m
Refrigerant	R-290
Container Loading	20'FT -30 | 40'FT – 60
Energy Consumption	4.70 kWh/24 hrs.

SRF295HCF

Technical Specifications

External Dimensions	514 (W) x 549 (D) x 1561 (H)
Internal Dimensions	394 (W) x 431 (D) x 1062 (H)
Gross Volume	186 Litre
Net Volume	136 Litre
Net Weight	74 Kg With IPS / 71 Kg without IPS / ± 5%
No. of Shelves	4 Nos.
Temperature Range	-26˚C to -18˚C
Footprint	0.28 Sq. m.
Product Visibility	0.45 Sq. m.
Refrigerant	R-290
Container Loading	20'FT – 30 | 40'FT – 60
Energy Consumption	4.71 kWh/24 hrs.

SRF350HC

Technical Specifications

External Dimensions	613 (W) x 680 (D) x 1790 (H) / 1815(H)
Internal Dimensions	493 (W) x 518 (D) x 1330 (H)
Gross Volume	332 litre
Net Volume	276 litre
Net weight	105 Kg
No. of Shelves	4 no's Shelves
Temperature Range	-18˚C to -24˚C
Footprint	0.42 sq. m
Product Visibility	0.56 sq. m
Refrigerant	R-290
Container Loading	20'FT – 24 | 40'FT – 51
Energy Consumption	8.8025 kWh/24 hrs

SRF405HC

Technical Specifications

External Dimensions	623 (W) x 657 (D) x 1852 (H)
Internal Dimensions	503 (W) x 513 (D) x 1331 (H)
Gross Volume	344 Litre
Net Volume	295 Litre
Net weight	115 Kg
No. of Shelves	5 Nos.
Temperature Range	-18˚C to -24˚C
Footprint	0.42 Sq. m.
Product Visibility	0.69 Sq. m.
Refrigerant	R-290
Container Loading	20'FT – 24 | 40'FT – 51
Energy Consumption	8.0372 kWh/24 hrs.

SRF550HC/SRF555HC

Technical Specifications

External Dimensions	623 (W) x 715 (D) x 2116 (H)
Internal Dimensions	503 (W) x 570 (D) x 1618 (H)
Gross Volume	467 Litre
Net Volume	405 Litre
Net Weight	132 Kg with IPS / 127 Kg without IPS ± 5%
No. of Shelves	6 Nos.
Temperature Range	-26˚C to -18˚C
Footprint	0.45 Sq. m.
Product Visibility	0.98 Sq. m.
Refrigerant	R-290
Container Loading	20'FT – 24 | 40'FT – 48
Energy Consumption	9.65 kWh/24 hrs.

SRF825HC

Technical Specifications

External Dimensions	810 (W) x 790 (D) x 2125 (H)
Internal Dimensions	690 (W) x 652 (D) x 1590 (H)
Gross Volume	700 litre
Net Volume	623 litre
Net Weight	170 ± 5%
No. of Shelves	5 no's Shelves
Temperature Range	-28°C to -15°C
Footprint	0.64 sq. m
Product Visibility	0.89 sq. m
Refrigerant	R-290
Container Loading	20'FT – 12 | 40'FT – 26
Energy Consumption	9.35 kWh/24 hrs.

SRF900

Technical Specifications

External Dimensions	920 (W) x 780 (D) x 2128 (H)
Internal Dimensions	800 (W) x 612 (D) x 1595 (H)
Gross Volume	762 litre
Net Volume	672 litre
Net Weight	198
No. of Shelves	10 no's Shelves
Temperature Range	-18˚C to -26˚C
Footprint	0.72 sq. m
Product Visibility	0.92 sq. m / 0.333 (W) x 1.363 (H) x 2 doors
Refrigerant	R404A
Container Loading	20'FT – 14 | 40'FT – 30
Energy Consumption	18.22 kWh/24 hrs.

SMF12

Technical Specifications

External Dimensions	1200 (W) x 757 (D) x 2022 (H)
Internal Dimensions	1076 (W) x 577 (D) x 1495 (H)
Gross Volume	935 Liters
Net Volume	863 Liters
Net Weight	205 kg
No. of Shelves	10 Nos.
Temperature Range	-18˚C to -23˚C
Footprint	0.91 Sq. m.
Product Visibility	1.46 Sq. m
Refrigerant	R404A
Container Loading	20'FT – 13 nos. | 40'FT – 27 nos.
Energy Consumption	20.41 kWh/24 hrs

SMF18

Technical Specifications

External Dimensions	1800 (W) x 757 (D) x 2022 (H)
Internal Dimensions	1676 (W) x 590 (D) x 1495 (H)
Gross Volume	1454 Liters
Net Volume	1236 Liters
Net Weight	296 Kg
No. of Shelves	15 Nos.
Temperature Range	-18˚C to -23˚C
Footprint	1.36 Sq. m.
Product Visibility	2.19 Sq. m.
Refrigerant	R-404A
Container Loading	20'FT – 9 nos. | 40'FT – 18 nos.
Energy Consumption	24.55 kWh/24 hrs

THANK YOU!